

Aurora Borealis Control B.V.

Since 1998, a bunch of experience
 P.O. Box 2, NL-7760 AA, Schoonebeek, The Netherlands
 info@aurora-borealis.nl

Tel.: +31 524 532 460
 Fax. : +31 524 532 471



Part Number	Description
-------------	-------------

JR-.5FR1-5	Frit, SS, 1/16" diam. x 0.030" thickn., 0.5 um, 5/pkg
JR-.5FR1TI-5	Frit, Ti., 1/16" diam. x 0.062" thickn., 0.5 um, 5/pkg
JR-.5FR2-5	Frit, SS, 1/8" diam. x 0.040" thickn., 0.5 um, 5/pkg
JR-.5FR4-5	Frit, SS, 1/4" diam. x 0.040" thickn., 0.5 um, 5/pkg
JR-.5FR6-5	Frit, SS, 3/8" diam. x 0.040" thickn., 0.5 um, 5/pkg
JR-.5FR8-5	Frit, SS, 1/2" diam. x 0.040" thickn., 0.5 um, 5/pkg
JR-031-10	Ferrule, ETFE, 1 mm, 10/pkg
JR-040BK-10	Nut, Polyacetal, flangeless 1/16", 1/4"-28, black, 10/pkg
JR-040BL-10	Nut, Polyacetal, flangeless 1/16", 1/4"-28, blue, 10/pkg
JR-040GR-10	Nut, Polyacetal, flangeless 1/16", 1/4"-28, green, 10/pkg
JR-040RE-10	Nut, Polyacetal, flangeless 1/16", 1/4"-28, red, 10/pkg
JR-040WH-10	Nut, Polyacetal, flangeless 1/16", 1/4"-28, white, 10/pkg
JR-040WL-10	Nut, Polyacetal, flangeless 1/16", 1/4"-28, 1"long, white, 10/pkg
JR-040YL-10	Nut, Polyacetal, flangeless 1/16", 1/4"-28, yellow, 10/pkg
JR-041-10	Ferrule, ETFE, 1/16", 10/pkg
JR-042-10	Ferrule, ETFE, 2.1 mm bore, 10 / pkg
JR-049-10	Ferrule, ETFE, 3 mm, 10/pkg
JR-050BK-10	Nut, Polyacetal, flangeless 1/8", 1/4"-28, black, 10/pkg
JR-050BL-10	Nut, Polyacetal, flangeless 1/8", 1/4"-28, blue, 10/pkg
JR-050GR-10	Nut, Polyacetal, flangeless 1/8", 1/4"-28, green, 10/pkg
JR-050RE-10	Nut, Polyacetal, flangeless 1/8", 1/4"-28, red, 10/pkg
JR-050WH-10	Nut, Polyacetal, flangeless 1/8", 1/4"-28, white, 10/pkg
JR-050WL-10	Nut, Polyacetal, flangeless 1/8", 1/4"-28, 1" long, white, 10/pkg
JR-050YL-10	Nut, Polyacetal, flangeless 1/8", 1/4"-28, yellow, 10/pkg

Aurora Borealis Control B.V.

Since 1998, a bunch of experience
 P.O. Box 2, NL-7760 AA, Schoonebeek, The Netherlands
 info@aurora-borealis.nl

Tel.: +31 524 532 460
 Fax. : +31 524 532 471



Part Number	Description
-------------	-------------

JR-051-10	Ferrule, ETFE, 1/8", 10/pkg
JR-060-5	Union, polyamid, LP body only, 1/4"-28, for flanged tubing only, 5/pkg
JR-061	Union, PEEK, 0.25 mm bore, body only
JR-0611	Adapter, PEEK, Waters female to 10-32 male
JR-0611-SS05-3	Sure-Guard, disposable In-Line Filter, sS frit 0.5 um, 3/pkg
JR-0611-SS2-3	Sure-Guard, disposable In-Line Filter, sS frit 2.0 um, 3/pkg
JR-0611-TI05-3	Sure-Guard, disposable In-Line Filter, tI frit 0.5 um, 3/pkg
JR-0611-TI2-3	Sure-Guard, disposable In-Line Filter, tI frit 2.0 um, 3/pkg
JR-0612	Adapter, PEEK, 1/4"-28 female to 10-32 male
JR-0617	Adapter, PEEK, 10-32 female to 1/4"-28 male
JR-062	Adapter, PEEK, 10-32 female to 1/4"-28 female
JR-0622	Adapter, PEEK, 1/4"-28 female to M6 male
JR-0623	Adapter, PEEK, 10-32 female to female luer
JR-0625	Adapter, PEEK, 1/4"-28 female to female luer
JR-0626	Adapter, PEEK, 1/4"-28 female to male luer
JR-064	Union, PEEK, LP 0.5 mm bore, body only, 1/4"-28
JR-065	Union, PEEK, LP 1.3 mm bore, body only, 1/4"-28
JR-066	Union, PEEK, 0.50 mm bore, body only
JR-067	Union, PEEK, 0.75 mm bore, body only
JR-068	Union, PEEK, LP 0.75 mm bore, body only, 1/4"-28
JR-070101-10	Adapter, PP, female to female Luer, 10/pkg
JR-070111-10	Adapter, PP, female Luer to 1/16" barbed, 10/pkg
JR-070112-10	Adapter, PP, female Luer to 3/32 barbed, 10/pkg
JR-070113-10	Adapter, PP, female Luer to 1/8" barbed, 10/pkg

Aurora Borealis Control B.V.

Since 1998, a bunch of experience
 P.O. Box 2, NL-7760 AA, Schoonebeek, The Netherlands
 info@aurora-borealis.nl

Tel.: +31 524 532 460
 Fax. : +31 524 532 471



Part Number	Description
JR-070123-10	Adapter, PP, female Luer to 1/4"-28 male, 10/pkg
JR-070124-10	Adapter, PP, female Luer to 10-32 male, 10/pkg
JR-070211-10	Adapter, PP, male Luer to 1/16" barbed, 10/pkg
JR-070212-10	Adapter, PP, male Luer to 3/32 barbed, 10/pkg
JR-070213-10	Adapter, PP, male Luer to 1/8" barbed, 10/pkg
JR-070224-10	Adapter, PP, male Luer to 10-32 male, 10/pkg
JR-070225-10	Adapter, PP, male Luer to 1/4"-28 male, 10/pkg
JR-070350-10	Plug, PP, male Luer, 10/pkg
JR-071123-10	Adapter, PP, 1/4"-28 thread to 1/16" barbed, 10/pkg
JR-071124-10	Adapter, PP, 10-32 thread to 1/16" barbed, 10/pkg
JR-071323-10	Adapter, PP, 1/4"-28 thread to 1/8" barbed, 10/pkg
JR-071324-10	Adapter, PP, 10-32 thread to 1/8" barbed, 10/pkg
JR-072350-10	Plug, PP, 1/4"-28, 10/pkg
JR-072450-10	Plug, PP, 10-32 male, 10/pkg
JR-075013	Barbed hose adapter, PP/PA, 1/4"-28 to 1/8" ID
JR-082	Union, SS, reducing, 1/16" to 2.0 mm, 10-32, bore 0.75 mm, complete incl. nuts and ferrules
JR-083-5	Ferrule, SS, 2mm, 10-32, 5/pkg
JR-086	Union, SS, reducing, 1/8" to 3.0 mm, 5/16"-24, bore 0.75 mm, complete incl. nuts and ferrules
JR-087-5	Ferrule, SS, 3 mm, 5/16"-24, 5/pkg
JR-096	Union, SS, reducing, 1/32" to 1.0 mm, 6-40 - 10-32, bore 0.25 mm, complete incl. nuts and ferrules
JR-097-5	Ferrule, SS, 1mm, 10-32, 5/pkg
JR-1030	Tee, PEEK, HP, 0.25 mm bore, complete with one piece fittings
JR-1032	Tee, PEEK, HP, 0.50 mm bore, complete with one piece fittings
JR-1033	Tee, PEEK, HP, 0.75 mm bore, complete with one piece fittings

Aurora Borealis Control B.V.

Since 1998, a bunch of experience
 P.O. Box 2, NL-7760 AA, Schoonebeek, The Netherlands
 info@aurora-borealis.nl

Tel.: +31 524 532 460
 Fax. : +31 524 532 471



Part Number	Description
JR-1040	Cross, PEEK, HP, 0.25 mm bore, complete with one piece fittings
JR-1042	Cross, PEEK, HP, 0.50 mm bore, complete with one piece fittings
JR-1043	Cross, PEEK, HP, 0.75 mm bore, complete with one piece fittings
JR-1061	Union, PEEK, 0.25 mm bore, complete
JR-1064	Union, PEEK, LP 0.5 mm bore, complete
JR-1065	Union, PEEK, LP 1.3 mm bore, complete
JR-1066	Union, PEEK, 0.50 mm bore, complete
JR-1067	Union, PEEK, 0.75 mm bore, complete
JR-1068	Union, PEEK, LP 0.75 mm bore, complete
JR-10FR1-5	Frit, SS, 1/16" diam. x 0.030" thickn., 10 um, 5/pkg
JR-10FR1K-5	Frit, SS, 1" diam. x 0.060" thickn., 10 um, 5/pkg
JR-10FR2-5	Frit, SS, 1/8" diam. x 0.040" thickn., 10 um, 5/pkg
JR-10FR4-5	Frit, SS, 1/4" diam. x 0.040" thickn., 10 um, 5/pkg
JR-10FR6-5	Frit, SS, 3/8" diam. x 0.040" thickn., 10 um, 5/pkg
JR-10FR8-5	Frit, SS, 1/2" diam. x 0.040" thickn., 10 um, 5/pkg
JR-10FR8TI-5	Frit, Ti, 1/2" diam. x 0.040" thickn., 10 um, 5/pkg
JR-1100-05P-5	Frit, SS, PEEK-encased, 1/4" diam. x 0.062" thickn., 0.5 um, 5/pkg
JR-1100-2P-5	Frit, SS, PEEK enc., 1/4" diam. x 0.062" thickn., 2 um, 5/pkg
JR-1101-05P-5	Frit, SS, PEEK enc., 1/4" diam. x 0.062" thickn., 0.5 um, 5/pkg
JR-1101-2P-5	Frit, SS, PEEK enc., 1/4" diam. x 0.062" thickn., 2 um, 5/pkg
JR-1102-05P-5	Frit, SS, PEEK enc., 1/4" diam. x 0.062" thickn., 0.5 um, 5/pkg
JR-1102-2P-5	Frit, SS, PEEK enc., 1/4" diam. x 0.062" thickn., 2 um, 5/pkg
JR-1103-05P-5	Frit, SS, PEEK enc., 1/4" diam. x 0.032" thickn., 0.5 um, 5/pkg
JR-1103-2P-5	Frit, SS, PEEK enc., 1/4" diam. x 0.032" thickn., 2 um, 5/pkg

Aurora Borealis Control B.V.

Since 1998, a bunch of experience
 P.O. Box 2, NL-7760 AA, Schoonebeek, The Netherlands
 info@aurora-borealis.nl

Tel.: +31 524 532 460
 Fax. : +31 524 532 471



Part Number

Description

Part Number	Description
JR-1104-05P-5	Frit, SS, PEEK enc., 1/4" diam. x 0.062" thickn., 0.5 um, 5/pkg
JR-1104-2P-5	Frit, SS, PEEK enc., 1/4" diam. x 0.062" thickn., 2 um, 5/pkg
JR-1110-05P-5	Frit, SS, PEEK enc., 0.115" diam. x 0.028" thickn., 0.5 um, 5/pkg
JR-1110-2P-5	Frit, SS, PEEK enc., 0.115" diam. x 0.028" thickn., 2 um, 5/pkg
JR-1110-5P-5	Frit, SS, PEEK encased, 0.115" diam. x 0.028" thickn., 5 um, 5/pkg
JR-1111-05P-5	Frit, SS, PEEK enc., 0.115" diam. x 0.028" thickn., 0.5 um, 5/pkg
JR-1111-2P-5	Frit, SS, PEEK enc., 0.115" diam. x 0.028" thickn., 2 um, 5/pkg
JR-1111-5P-5	Frit, SS, PEEK enc., 0.115" diam. x 0.028" thickn., 5 um, 5/pkg
JR-1125-05P-5	Frit, Ti, 4.6 mm diam. 0.5 um, pEEK-encased 0.25" x 0.062" thick, 5/pkg
JR-1125-10P-5	Frit, Ti, 4.6 mm diam. 10 um, pEEK-encased 0.25" x 0.062" thick, 5/pkg
JR-1125-2P-5	Frit, Ti, 4.6 mm diam. 2 um, pEEK-encased 0.25" x 0.062" thick, 5/pkg
JR-1125-5P-5	Frit, Ti, 4.6 mm diam. 5 um, pEEK-encased 0.25" x 0.062" thick, 5/pkg
JR-1127-05P-5	Frit, Ti, 3.2 mm diam. 0.5 um, pEEK-encased 0.125 x 0.062" thick, 5/pkg
JR-1127-2P-5	Frit, Ti, 3.2 mm diam. 2 um, pEEK-encased 0.125 x 0.062" thick, 5/pkg
JR-1128-5P-5	Frit, Ti, 2.6 mm diam. 5 um, 5/pkg, pEEK-encased 0.2" x 0.062" thick
JR-1150-10P-5	Frit, PE, 2.5 mm diam. 10 um, 5/pkg, pEEK-encased 0.2" x 0.059" thick
JR-1151-10P-5	Frit, PE, 4.9 mm diam. 10 um, 5/pkg, pEEK-encased 0.25" x 0.059" thick
JR-1FR1-5	Frit, SS, 1/16" diam. x 0.030" thickn., 1 um, 5/pkg
JR-1FR2-5	Frit, SS, 1/8" diam. x 0.030" thickn., 1 um, 5/pkg
JR-201094BK-10	Nut, PP, flanged black 1/16", 1/4"-28, 10/pkg
JR-201094WH-10	Nut, PP, flanged white 1/16", 1/4"-28, 10/pkg
JR-20116-10	Nut, PEEK, flangefree natural 1/8", 1/4"-28, 10/pkg
JR-20124-10	Nut, PEEK, flangefree natural 1/16", 1/4"-28, 10/pkg
JR-201531	Easy-Flange, clamp pair., spare part for JR-201540B

Aurora Borealis Control B.V.

Since 1998, a bunch of experience
 P.O. Box 2, NL-7760 AA, Schoonebeek, The Netherlands
 info@aurora-borealis.nl

Tel.: +31 524 532 460
 Fax. : +31 524 532 471



Part Number	Description
JR-201536	Easy-Flange, flanging disc with 1.3 mm polymer pin
JR-201537	Easy-Flange, flanging disc with 1.3 mm Titanium pin
JR-201539	Easy-Flange, combi kit in plastic case
JR-201540	Easy-Flange, kit in plastic case
JR-201540L	Box, for JR-201540, with foam insert
JR-201541	Easy-Flange, flanging disc with 0.8 mm polymer pin,
JR-201554	Easy-Flange, flanging disc with 0.8 mm Titanium pin
JR-201580BK-10	Nut, PP, flanged black 1/8", 1/4"-28, 10/pkg
JR-201580WH-10	Nut, PP, flanged white 1/8", 1/4"-28, 10/pkg
JR-201662	Easy-Flange, flanging disc with 1.0 mm polymer pin
JR-201663	Easy-Flange, flanging disc with 1.5 mm polymer pin
JR-201926-10	Ring, PP, flanged 1/16", 10/pkg
JR-201928-10	Ring, PP, flanged 1/8", 10/pkg
JR-202118-10	Nut, PP, flanged black x-long 1/16", 1/4"-28, 10/pkg
JR-202119-10	Nut, PP, flanged white x-long 1/8", 1/4"-28, 10/pkg
JR-202120-10	Nut, PP, flanged white x-long 1/16", 1/4"-28, 10/pkg
JR-202121-10	Nut, PP, flanged black x-long 1/8", 1/4"-28, 10/pkg
JR-202122-10	Nut, PP, flanged blue 1/16", 1/4"-28, 10/pkg
JR-202123-10	Nut, PP, flanged green 1/16", 1/4"-28, 10/pkg
JR-202124-10	Nut, PP, flanged yellow 1/16", 1/4"-28, 10/pkg
JR-202125-10	Nut, PP, flanged red 1/16", 1/4"-28, 10/pkg
JR-202142-10	Nut, PP, flanged blue 1/8", 1/4"-28, 10/pkg
JR-202143-10	Nut, PP, flanged green 1/8", 1/4"-28, 10/pkg
JR-202144-10	Nut, PP, flanged yellow 1/8", 1/4"-28, 10/pkg

Aurora Borealis Control B.V.

Since 1998, a bunch of experience
 P.O. Box 2, NL-7760 AA, Schoonebeek, The Netherlands
 info@aurora-borealis.nl

Tel.: +31 524 532 460
 Fax. : +31 524 532 471



Part Number

Description

Part Number	Description
JR-202145-10	Nut, PP, flanged red 1/8", 1/4"-28, 10/pkg
JR-202235	Easy-Flange flanging disc, with 0.5 mm SS pin for PEEK tubing
JR-2030	Tee, PEEK, HP 0.25 mm bore, body only
JR-2032	Tee, PEEK, HP 0.50 mm bore, body only
JR-2033	Tee, PEEK, HP 0.75 mm bore, body only
JR-2040	Cross, PEEK, HP, 0.25 mm bore, body only
JR-2042	Cross, PEEK, HP, 0.50 mm bore, body only
JR-2043	Cross, PEEK, HP, 0.75 mm bore, body only
JR-26501	Coupler, PEEK, universal 0.13 mm ID, red
JR-26502	Coupler, PEEK, universal 0.17 mm ID, yellow
JR-26503	Coupler, PEEK, universal 0.25 mm ID, blue
JR-26504	Coupler, PEEK, universal 0.50 mm ID, orange
JR-27305	Column, PEEK, Packing reservoir, for P/N JR-68242
JR-2FR1-5	Frit, SS, 1/16" diam. x 0.030" thickn., 2 um, 5/pkg
JR-2FR1K-5	Frit, SS, 1" diam. x 0.060" thickn., 2 um, 5/pkg
JR-2FR1KTI-5	Frit, Ti, 1" diam. x 0.060" thickn., 2 um, 5/pkg
JR-2FR1TI-5	Frit, Ti, 1/16" diam. x 0.040" thickn., 2 um, 5/pkg
JR-2FR2-5	Frit, SS, 1/8" diam. x 0.040" thickn., 2 um, 5/pkg
JR-2FR2TI-5	Frit, Ti, 1/8" diam. x 0.040" thickn., 2 um, 5/pkg
JR-2FR4-5	Frit, SS, 1/4" diam. x 0.040" thickn., 2 um, 5/pkg
JR-2FR4TI-5	Frit, Ti, 1/4" diam. x 0.040" thickn., 2 um, 5/pkg
JR-2FR6-5	Frit, SS, 3/8" diam. x 0.040" thickn., 2 um, 5/pkg
JR-2FR6TI-5	Frit, Ti, 3/8" diam. x 0.040" thickn., 2 um, 5/pkg
JR-2FR8-5	Frit, SS, 1/2" diam. x 0.040" thickn., 2 um, 5/pkg

Aurora Borealis Control B.V.

Since 1998, a bunch of experience
 P.O. Box 2, NL-7760 AA, Schoonebeek, The Netherlands
 info@aurora-borealis.nl

Tel.: +31 524 532 460
 Fax. : +31 524 532 471



Part Number

Description

Part Number	Description
JR-2FR8TI-5	Frit, Ti, 1/2" diam. x 0.040" thickn., 2 um, 5/pkg
JR-32171	Filter, PTFE, mobile phase No-Met 5 um, 1/8"
JR-32172	Filter, PTFE, mobile phase replacement No-Met 5 um
JR-32174	Filter, PE, Economy No-Met 5 um, 1/8"
JR-32178	Filter, PE, mobile phase No-Met 20 um, 1/8"
JR-32179	Filter, PE, mobile phase replacement, No-Met 20 um
JR-34N	Kit, Chrombo
JR-357090	Tubing Elbow 90°
JR-357180	Tubing Elbow 180°
JR-35P	PEEK Starter Kit
JR-35S	Stainless Steel Starter Kit
JR-367008-10	Filter, SS, mobile phase 10 um, fittings for 1/8" tubing
JR-367008-2	Filter, SS, mobile phase 2 um, fittings for 1/8" tubing
JR-367008-20	Filter, SS, mobile phase 20 um, fittings for 1/8" tubing
JR-367016-10	Filter, SS, mobile phase 10 um, fittings for 1/16" tubing
JR-367016-2	Filter, SS, mobile phase 2 um, fittings for 1/16" tubing
JR-367016-20	Filter, SS, mobile phase 20 um, fittings for 1/16" tubing
JR-3675-2	Filter, SS, mobile phase 2 um, 1/8" pipe OD
JR-3678-2	Filter, SS, mobile phase 2 um, 1/8" pipe OD
JR-3678-25	Filter, SS, mobile phase 25 um, 1/8" pipe OD
JR-4071-10	Plug, Nylon, column endstopper white, 10-32, 10/pkg
JR-4072-10	Plug, Nylon, column endstopper black, 10-32, 10/pkg
JR-4073-10	Plug, Nylon, column endstopper red, 10-32, 10/pkg
JR-4074-10	Plug, Nylon, column endstopper green, 10-32, 10/pkg

Aurora Borealis Control B.V.

Since 1998, a bunch of experience
P.O. Box 2, NL-7760 AA, Schoonebeek, The Netherlands
info@aurora-borealis.nl

Tel.: +31 524 532 460

Fax. : +31 524 532 471



Part Number

Description

JR-4075-10	Plug, Nylon, column endstopper blue, 10-32, 10/pkg
JR-408	Plug, PEEK, 10-32
JR-4081-10	Plug, Nylon, column endstopper white, 10-32, 10 /pkg
JR-4082-10	Plug, Nylon, column endstopper black, 10-32, 10 /pkg
JR-4083-10	Plug, Nylon, column endstopper red, 10-32, 10 /pkg
JR-4084-10	Plug, Nylon, column endstopper green, 10-32, 10 /pkg
JR-4085-10	Plug, Nylon, column endstopper blue, 10-32, 10 /pkg
JR-409	Plug, PEEK, 1/4"-28
JR-410	Plug, PEEK, M6
JR-4676-10	Filter, SS, Economy mobile phase 10 um
JR-4676-10TF	Filter, PTFE, Economy mobile phase 10 um
JR-4676-2	Filter, SS, Economy mobile phase 2 um
JR-4676-2.5TF	Filter, PTFE, Economy mobile phase 2.5 um
JR-4676-5TF	Filter, PTFE, Economy mobile phase, 5 um
JR-4677-10	Filter, SS, Economy mobil phase 10 um
JR-4677-10TF	Filter, PTFE, Economy mobile phase, 10 um
JR-4677-2	Filter, SS, Economy mobile phase 2 um
JR-4677-2.5TF	Filter, PTFE, Economy mobile phase, 2.5 um
JR-4677-5TF	Filter, PTFE, Economy mobile phase, 5 um
JR-5003-5	Ferrule, PEEK, single 1/16", 5/pkg
JR-5004-5	Ferrule, PEEK, double 1/16", 5/pkg
JR-5005-5	Single Ferrule, PEEK, 1/16", 5/pkg
JR-55010-5	Color-It fingertight adapter blue, 5/pkg
JR-55011-5	Color-It fingertight adapter yellow, 5/pkg

Aurora Borealis Control B.V.

Since 1998, a bunch of experience
 P.O. Box 2, NL-7760 AA, Schoonebeek, The Netherlands
 info@aurora-borealis.nl

Tel.: +31 524 532 460
 Fax. : +31 524 532 471



Part Number

Description

JR-55012-5	Color-It fingertight adapter green, 5/pkg
JR-55013-5	Color-It fingertight adapter black, 5/pkg
JR-55014-5	Color-It fingertight adapter white, 5/pkg
JR-55015-5	Color-It fingertight adapter red, 5/pkg
JR-55016-12	Color-It fingertight adapter multi-color,assorted 2 pcs. each color, 12/pkg
JR-55020-5	Fitting, PEEK, one-piece natural, 10-32, 5/pkg
JR-55021-5	Fitting, PEEK, one-piece black, 10-32, 5/pkg
JR-55022-5	Fitting, PEEK, one-piece red, 10-32, 5/pkg
JR-55023-5	Fitting, PEEK, one-piece yellow, 10-32, 5/pkg
JR-55024-5	Fitting, PEEK, one-piece blue, 10-32, 5/pkg
JR-5502-5	Fitting, PEEK, one-piece, 10-32, 5/pkg
JR-55025-5	Fitting, PEEK, one-piece green, 10-32, 5/pkg
JR-5503-5	Nut, PEEK, universal fingertight, 10-32, 5/pkg
JR-5504-5	Fitting, PEEK, one-piece fingertight short head, 10-32, 5/pkg
JR-5505	Adapter, PEEK, M6 female to 10-32 male
JR-55050-10	Nut, PPS, for collaps. ferrule 1/16", 1/4"-28, 10/pkg
JR-55051-10	Nut, PPS, for collaps.ferrule 1/8", 1/4"-28, 10/pkg
JR-55060-10	Nut, PPS, flanged, 1/16", 1/4"-28, 10/pkg
JR-55061-10	Nut, PPS, flanged, 1/8", 1/4"-28, 10/pkg
JR-55070-10	Nut, PPS, flangeless, 1/16", 1/4"-28, 10/pkg
JR-55071-10	Nut, PPS, flangeless, 1/8", 1/4"-28, 10/pkg
JR-55072-10	Nut, PPS, flangeless, 2 mm', 1/4"-28, 10/pkg
JR-55073-10	Nut, PPS, flangeless, 1.0 mm, 1/4"-28, 10/pkg
JR-5507-5	Fitting, PEEK, one-piece fingertight long, 10-32, 5/pkg

Aurora Borealis Control B.V.

Since 1998, a bunch of experience
 P.O. Box 2, NL-7760 AA, Schoonebeek, The Netherlands
 info@aurora-borealis.nl

Tel.: +31 524 532 460
 Fax. : +31 524 532 471



Part Number	Description
JR-55080-10	Adapter, PP, fingertight sleeve, natural, 10/pkg
JR-55080-5	Adapter, PP, fingertight sleeve, natural, 5/pkg
JR-55081-10	Adapter, PP, fingertight sleeve, white, 10/pkg
JR-55081-5	Adapter, PP, fingertight sleeve, white, 5/pkg
JR-55082-10	Adapter, PP, fingertight sleeve, dark grey, 10/pkg
JR-55082-5	Adapter, PP, fingertight sleeve, dark grey, 5/pkg
JR-55083-10	Adapter, PP, fingertight sleeve, black, 10/pkg
JR-55083-5	Adapter, PP, fingertight sleeve, black, 5/pkg
JR-55084-10	Adapter, PP, fingertight sleeve, lavender, 10/pkg
JR-55084-5	Adapter, PP, fingertight sleeve, lavender, 5/pkg
JR-5508-5	Fitting, PEEK, 1/16"OD tubing, one-piece fingertight hex-head, 10-32, 5/pkg
JR-55085-10	Adapter, PP, fingertight sleeve, red, 10/pkg
JR-55085-5	Adapter, PP, fingertight sleeve, red, 5/pkg
JR-55086-10	Adapter, PP, fingertight sleeve, yellow, 10/pkg
JR-55086-5	Adapter, PP, fingertight sleeve, yellow, 5/pkg
JR-55087-10	Adapter, PP, fingertight sleeve, orange, 10/pkg
JR-55087-5	Adapter, PP, fingertight sleeve, orange, 5/pkg
JR-55088-10	Adapter, PP, fingertight sleeve, brown, 10/pkg
JR-55088-5	Adapter, PP, fingertight sleeve, brown, 5/pkg
JR-55089-10	Adapter, PP, fingertight sleeve, green, 10/pkg
JR-55089-5	Adapter, PP, fingertight sleeve, green, 5/pkg
JR-5508X-12	Adapter, PP, fingertight sleeve, 6 colors assorted 2 pcs. each, 12/pkg
JR-5508X-24	Adapter, PP, fingertight sleeve, assorted 2 pcs. per color, 24/pkg
JR-55090-10	Adapter, PP, fingertight sleeve, blue, 10/pkg

Aurora Borealis Control B.V.

Since 1998, a bunch of experience
 P.O. Box 2, NL-7760 AA, Schoonebeek, The Netherlands
 info@aurora-borealis.nl

Tel.: +31 524 532 460
 Fax. : +31 524 532 471



Part Number	Description
JR-55090-5	Adapter, PP, fingertight sleeve, blue, 5/pkg
JR-55091-10	Adapter, PP, fingertight sleeve, purple, 10/pkg
JR-55091-5	Adapter, PP, fingertight sleeve, purple, 5/pkg
JR-55100-5	Fitting, PEEK, one-piece hex-head short, 10-32, 5/pkg
JR-5510-5	Nut, PEEK, hex-head long, 10-32, 5/pkg
JR-55110-5	Fitting, PEEK, one-piece hex-head long, 10-32, 5/pkg
JR-5511-5	Nut, PEEK, hex-head short, 10-32, 5/pkg
JR-5570-5	Nut, PEEK, two-piece fingertight, 10-32, 5/pkg
JR-5580-5	Nut, PEEK, hand-tight, 10-32, 5/pkg
JR-5595	Adapter, PEEK, 10-32 female to M6 female
JR-56-5	Nut, SS, 1/16" short, Rheodyne, 10-32, 5/pkg
JR-57-5	Nut, SS, 1/16" long head, Rheodyne, 10-32, 5/pkg
JR-58000-5	Fitting, PPS, hex-head one-piece, black, 10-32, 5/pkg
JR-58-5	Nut, SS, 1/16" x-long, Rheodyne, 10-32, 5/pkg
JR-59-5	Ferrule, SS, 1/16", 5/pkg
JR-6029	Tee, PEEK, LP bore 0.50 mm, complete
JR-6030	Tee, PEEK, LP bore 0.8 mm, complete
JR-6031	Tee, PEEK, LP bore 1.5 mm, complete
JR-6032	Tee, PEEK, LP bore 0.8 mm, body only
JR-6033	Tee, PEEK, LP bore 1.5 mm, body only
JR-6034	Tee, PEEK, LP bore 0.50 mm, body only
JR-6039	Cross, PEEK, LP bore 0.50 mm, complete
JR-6040	Cross, PEEK, LP bore 0.8 mm, complete
JR-6041	Cross, PEEK, LP bore 1.5 mm, complete

Aurora Borealis Control B.V.

Since 1998, a bunch of experience
 P.O. Box 2, NL-7760 AA, Schoonebeek, The Netherlands
 info@aurora-borealis.nl

Tel.: +31 524 532 460
 Fax. : +31 524 532 471



Part Number	Description
-------------	-------------

JR-6042	Cross, PEEK, LP bore 0.8 mm, body only
JR-6043	Cross, PEEK, LP bore 1.5 mm, body only
JR-6044	Cross, PEEK, LP bore 0.50 mm, body only
JR-60-5	Ferrule, SS, 1/16", 2-step Rheodyne, 5/pkg
JR-6120-50030	Solviflex, assembly without cap
JR-6140	Kit, PPS, Impermeable fittings
JR-6141-10	Insert, KEL-F, for Impermeable fitting, 10/pkg
JR-65001NF	Column, PEEK, 30 x 2.1 mm ID, w/o frits
JR-65002NF	Column, PEEK, 50 x 2.1 mm ID, w/o frits
JR-65003NF	Column, PEEK, 100 x 2.1 mm ID, w/o frits
JR-65005NF	Column, PEEK, 150 x 2.1 mm ID, w/o frits
JR-65006NF	Column, PEEK, 250 x 2.1 mm ID, w/o frits
JR-65011	Replacement packing seal, PEEK, for 2.1 mm ID columns
JR-660100	Valve, 3-port, manual, T-flow, complete, 200psi, .06" bore, 1/4-28 fitting detail
JR-660110	Valve, 4-port, manual, T-flow, complete, 200psi, .06" bore, 1/4-28 fitting detail
JR-660200	Valve, 2-port, manual, 180-flow, complete, 200psi, .06" bore, 1/4-28 fitting detail
JR-660210	Valve, 4-port, manual, 180-flow, complete, 200psi, .06" bore, 1/4-28 fitting detail
JR-660300	Valve, 2-port, manual, 90-flow, complete, 200psi, .06" bore, 1/4-28 fitting detail
JR-660310	Valve, 3-port, manual, 90-flow, complete, 200psi, .06" bore, 1/4-28 fitting detail
JR-660320	Valve, 4-port, manual, 90-flow, complete, 200psi, .06" bore, 1/4-28 fitting detail
JR-66140	Column endfitting, PEEK, for 4.0 and 4.6 mm ID columns
JR-66158	Replacement packing seal, PEEK, for 4.0 and 4.6 mm ID columns
JR-67140-1A	Packing adapter, PEEK, for 2.1 mm ID columns
JR-67140-2B	Packing adapter, PEEK, for 4.0 and 4.6 mm ID columns

Aurora Borealis Control B.V.

Since 1998, a bunch of experience
 P.O. Box 2, NL-7760 AA, Schoonebeek, The Netherlands
 info@aurora-borealis.nl

Tel.: +31 524 532 460
 Fax. : +31 524 532 471



Part Number

Description

Part Number	Description
JR-67-250-2A	Packing kit, PEEK, for 2.1 mm ID columns, complete
JR-67-250-4	Packing Kit, PEEK, for 4.0 and 4.6 mm ID columns, complete
JR-68181NF	Column, PEEK, 50 x 4.0 mm ID, w/o frits
JR-68182NF	Column, PEEK, 100 x 4.0 mm ID, w/o frits
JR-68183NF	Column, PEEK, 125 x 4.0 mm ID, w/o frits
JR-68184NF	Column, PEEK, 150 x 4.0 mm ID, w/o frits
JR-68185NF	Column, PEEK, 250 x 4.0 mm ID, w/o frits
JR-68186NF	Column, PEEK, 300 x 4.0 mm ID, w/o frits
JR-68230-05	Filter, SS, In-Line ID 0.25 mm, complete, frit SS 0.5 um
JR-68230-2	Filter, SS, In-Line ID 0.25 mm, complete, frit SS 2 um
JR-68230-5	Filter, SS, In-Line ID 0.25 mm, complete, frit SS 5 um
JR-68231-05	Filter, SS, In-Line ID 0.75 mm, complete, frit SS 0.5 um
JR-68231-2	Filter, SS, In-Line ID 0.75 mm, complete, frit SS 2 um
JR-68231-5	Filter, SS, In-Line ID 0.75 mm, complete, frit SS 5 um
JR-68242TI	Column, PEEK, guard cartridge 8.0 x 3.0 mm ID, complete with 2 pcs Ti-frit 5um
JR-68242TI2	Column, PEEK, guard cartridge 8.0 x 3.0 mm ID, complete with 2 pcs Ti-frit 2um
JR-68247	Filter, PEEK, In-Line, complete, frit Ti PEEK-encased 0.5 um
JR-68252TI	Column, PEEK, guard cartridge holder, complete, with 1 x guard column JR-68242TI
JR-68252TI2	Column, PEEK, guard cartridge holder, complete, with 1 x guard column JR-68242TI2
JR-68253	Filter, PEEK, In-Line, frit Ti PEEK-encased 2 um
JR-68257	Filter, PEEK, In-Line, complete, frit Ti PEEK-encased 10 um
JR-68257PE	Filter, PEEK, In-Line, complete, frit PE- PEEK-encased 10 um
JR-68258	Filter, PEEK, pre-column, frit Ti PEEK-encased 0.5 um
JR-68262	Filter, PEEK, pre-column, frit Ti PEEK-encased 2 um

Aurora Borealis Control B.V.

Since 1998, a bunch of experience
P.O. Box 2, NL-7760 AA, Schoonebeek, The Netherlands
info@aurora-borealis.nl

Tel.: +31 524 532 460

Fax. : +31 524 532 471



Part Number

Description

Part Number	Description
JR-68264	Filter, PEEK, pre-column, frit Ti PEEK-encased 10 um
JR-68264PE	Filter, PEEK, pre-column, frit PE, PEEK-encased 10 um
JR-792	Tool, Tubing Cutter for metal tubing
JR-793	Tool, replacement cutter wheel for JR-792
JR-794	Tool, Guillotine Cutter for polymer tubing
JR-795	Tool, replacement blade for JR-794
JR-796	Tool, Tubing Plier for metal tubing
JR-797	Tool, Clean-Cut Tubing Cutter
JR-798	Tool, replacement blade for JR-797
JR-800	Tool, ValvTool 1/4" and 5/16" open wrench
JR-8000-0485	Adapter, PEEK, universal, tripod stepped tubing connector
JR-802	Tool, file
JR-804	Tool, wrench 1/4" x 5/16"
JR-805	Tool, wrench 3/8" x 7/16"
JR-806	Tool, Tweezers, Polypropylene, pinzette
JR-9000-0005	Bottle, Glass, safety-coated 1 L with solid cap
JR-9000-0007	Cap, Tefzel, Eco-Cap GL-45
JR-9000-0010	Bottle, Glass, safety-coated 2 L with solid cap
JR-9000-0011	Bottle, Glass, safety-coated 0.25 L with solid cap
JR-9000-0012	Bottle, Glass, safety-coated 0.5 L with solid cap
JR-9000-0013	Kit, Tefzel, Eco-Cap GL-45,incl. 1 L Safety Coated Bottle
JR-9000-0014	Kit, Tefzel, Eco-Cap GL-45,incl. 2 L Safety Coated Bottle
JR-9000-0520	Filter, PTFE, Last Drop 2.5 um, tripod stepped tubing connector
JR-9000-0520B	Filter, Glass, Last Drop 1-1.6 um, boro 3.3 filter,incl. connector JR-9000-0525GC

Aurora Borealis Control B.V.

Since 1998, a bunch of experience
 P.O. Box 2, NL-7760 AA, Schoonebeek, The Netherlands
 info@aurora-borealis.nl

Tel.: +31 524 532 460
 Fax. : +31 524 532 471



Part Number	Description
-------------	-------------

JR-9000-0520F	Filter, PTFE, Last Drop 2.5 um, flangeless connector
JR-9000-0520GC	Connector, PTFE, for 1/8" tubing, connector for JR-9000-0520G
JR-9000-0521	Filter, PTFE, Last Drop 5 um, tripod stepped tubing connector
JR-9000-0521F	Filter, PTFE, Last Drop 5 um, flangeless connector
JR-9000-0522	Filter, PTFE, Last Drop 10 um, tripod stepped tubing connector
JR-9000-0522F	Filter, PTFE, Last Drop 10 um, flangeless connector
JR-9000-0522H	Filter, PE, Last Drop 10 um, hydrophobic, tripod stepped tubing connector
JR-9000-0522HF	Filter, PE, Last Drop 10 um, hydrophobic, flangeless connector
JR-9000-0525GC	Connector, PTFE, for 1/8" tubing, connector for JR-9000-0525G, ..0526G...
JR-9000-0526G	Filter, Glass, Last Drop, 16 um glass frit,incl. connector JR-9000-0525GC
JR-9000-0528G	Filter, Glass, Last Drop, 100 um glass frit,incl. connector JR-9000-0525GC
JR-9000-0530	Filter, SS, Last Drop 2 um, tripod stepped tubing connector
JR-9000-0530F	Filter, SS, Last Drop 2 um, flangeless connector,
JR-9000-0531	Filter, SS, Last Drop 5 um, tripod stepped tubing connector
JR-9000-0531F	Filter, SS, Last Drop 2 um, flangeless connector,
JR-9000-0532	Filter, SS, Last Drop 10 um, tripod stepped tubing connector
JR-9000-0532F	Filter, SS, Last Drop 10 um, fitting connector,
JR-9000-0602	Filter/Sparger, PTFE, Last Drop 2.5 um filter, 10 um sparger
JR-9000-0603	Filter/Sparger, PTFE, Last Drop 5 um filter, 10 um sparger
JR-9000-0604	Filter/Sparger, PTFE, Last Drop 10 um filter, 10 um sparger
JR-9000-0604H	Filter/Sparger, PTFE, hydrophobic, Last Drop, 10 um filter, 10 um sparger
JR-9000-0640	Filter/Sparger, SS, Last Drop 2 um filter, 10 um sparger
JR-9000-0641	Filter/Sparger, SS, Last Drop 5 um filter, 10 um sparger
JR-9000-0642	Filter/Sparger, SS, Last Drop 10 um filter, 10 um sparger

Aurora Borealis Control B.V.

Since 1998, a bunch of experience
 P.O. Box 2, NL-7760 AA, Schoonebeek, The Netherlands
 info@aurora-borealis.nl

Tel.: +31 524 532 460
 Fax. : +31 524 532 471



Part Number	Description
JR-9000-0670	Tee, PEEK, mixing, complete, with 10um Titanium frit
JR-9001	Tubing Clip
JR-B-C5M1PK	Body, Cheminert manifold 1/4"-28, 1/16" OD tubing,4 inlets 1 outlet, .75 mm bore, PEEK
JR-B-C5M2PK	Body, Cheminert manifold 1/4"-28, 1/8" OD tubing,4 inlets 1 outlet, 1.50 mm bore, PEEK
JR-B-C9M1PK	Body, Cheminert manifold 1/4"-28, 1/16" OD tubing,8 inlets 1 outlet, .75 mm bore, PEEK
JR-B-C9M2PK	Body, Cheminert manifold 1/4"-28, 1/8" OD tubing,8 inlets 1 outlet, 1.50 mm bore, PEEK
JR-B-CM1XPK	Body, Cheminert mixing tee 1/4"-28, for 1/16" tubing, 0.75 mm bore, PEEK
JR-B-CM2XPK	Body, Cheminert mixing tee 1/4"-28, for 1/18" tubing, 1.5 mm bore, PEEK
JR-BPR1	Backpressure Regulator, variable 15 - 300psi,max. 50C, complete, for liquids only
JR-BPR2	Backpressure Regulator, variable 300 - 1500psi,max. 50C, complete, for liquids only
JR-C360C	Cap, 360um, SS
JR-C360CFS	Cap, 360um, SS, for FS tubing > 10'000 psi
JR-C360CPK	Cap, 360um, glass-filled PEEK
JR-C360ET	Make up extender tool, for 360um nuts
JR-C360NFFS	Nut, 360um, No Twist, for FS tubing (for> 10 kpsi)
JR-C360NFPKG	Nut, 360um, No Twist, PEEK, with glass-filled PEEK ferrule
JR-C360NFS6	Nut, 360um, No Twist, SS, with 316 ferrule
JR-C360PPK	Plug, 360um, pPEEK
JR-C360QTPK2	Tee, 360um, quick mount, 50um bore, for PEEK and FS Tubing (for < 10 kpsi)
JR-C360QTPK4	Tee, 360um, quick mount, 100um bore, for PEEK and FS Tubing (for < 10 kpsi)
JR-C360QTPK6	Tee, 360um, quick mount, 150um bore, for PEEK and FS Tubing (for < 10 kpsi)
JR-C360QUPK2	Union, 360um, quick mount, 50um bore, for PEEK and FS Tubing (for < 10 kpsi)
JR-C360QUPK4	Union, 360um, quick mount, 100um bore, for PEEK and FS Tubing (for < 10 kpsi)
JR-C360QUPK6	Union, 360um, quick mount, 150um bore, for PEEK and FS Tubing (for < 10 kpsi)

Aurora Borealis Control B.V.

Since 1998, a bunch of experience
 P.O. Box 2, NL-7760 AA, Schoonebeek, The Netherlands
 info@aurora-borealis.nl

Tel.: +31 524 532 460
 Fax. : +31 524 532 471



Part Number	Description
-------------	-------------

JR-C360QXPK2	Cross, 360um, quick mount, 50um bore, for PEEK and FS Tubing (for < 10 kpsi)
JR-C360QXPK4	Cross, 360um, quick mount, 100um bore, for PEEK and FS Tubing (for < 10 kpsi)
JR-C360QXPK6	Cross, 360um, quick mount, 150um bore, for PEEK and FS Tubing (for < 10 kpsi)
JR-C360RU.5FS2	Reducing union 1/32" to 360um, 50um bore, for FS tubing (for > 10 kpsi)
JR-C360RU.5FS4	Reducing union 1/32" to 360um, 100um bore, for FS tubing (for > 10 kpsi)
JR-C360RU.5FS6	Reducing union 1/32" to 360um, 150um bore, for FS tubing (for > 10 kpsi)
JR-C360RU.5S62	Reducing union 1/32" to 360um, 50um bore, for metal tubing (up to 20 kpsi)
JR-C360RU.5S64	Reducing union 1/32" to 360um, 100um bore, for metal tubing (up to 20 kpsi)
JR-C360RU.5S66	Reducing union 1/32" to 360um, 150um bore, for metal tubing (up to 20 kpsi)
JR-C360RU1FS6	Reducing union 1/16" to 360um, 150um bore, for FS tubing (for > 10 kpsi)
JR-C360RU1PK6	Reducing union 1/16" to 360um, 150um bore, for PEEK+FS tubing (for<10kpsi)
JR-C360RU1S66	Reducing union 1/16" to 360um, 150um bore, for metal tubing (up to 20 kpsi)
JR-C360UFS2	Union, 360um, 50um bore, for FS tubing (for > 10 kpsi)
JR-C360UFS4	Union, 360um, 100um bore, for FS tubing (for > 10 kpsi)
JR-C360UFS6	Union, 360um, 150um bore, for FS tubing (for > 10 kpsi)
JR-C360UPK2	Union, 360um, 50um bore, for PEEK and FS tubing (for < 10 kpsi)
JR-C360UPK4	Union, 360um, 100um bore, for PEEK and FS tubing (for < 10 kpsi)
JR-C360UPK6	Union, 360um, 150um bore, for PEEK and FS tubing (for < 10 kpsi)
JR-C360US62	Union, 360um, 50um bore, for metal tubing (up to 20 kpsi)
JR-C360US64	Union, 360um, 100um bore, for metal tubing (up to 20 kpsi)
JR-C360US66	Union, 360um, 150um bore, for metal tubing (up to 20 kpsi)
JR-C5M1PK	Manifold, PEEK, 5 ports LP 0.75 mm, complete
JR-C5M2PK	Manifold, PEEK, 5 ports LP 0.1.50 mm, complete
JR-C9M1PK	Manifold, PEEK, 9 ports LP 0.75 mm, complete

Aurora Borealis Control B.V.

Since 1998, a bunch of experience
P.O. Box 2, NL-7760 AA, Schoonebeek, The Netherlands
info@aurora-borealis.nl

Tel.: +31 524 532 460
Fax. : +31 524 532 471



Part Number

Description

Part Number	Description
JR-C9M2PK	Manifold, PEEK, 9 ports LP 1.50 mm, complete
JR-CBN	JAM-NUT, HEX: 1/2*3/8-24*1/8 TH, NYLON
JR-CBULPK	Bulkhead Union, PEEK, LP 1.50 mm bore, complete
JR-CBUMPK	Bulkhead Union, PEEK, LP 0.75 mm bore, complete
JR-CCPK-1	Cap, PEEK, female 1/4"-28
JR-C-EN.5FPKB	Nut, PEEK, External, 1/32"
JR-CFE-S10-5	In-line filter Cartridge, 10 um, 5/pkg
JR-CFE-S2-5	In-line filter Cartridge, 2 um, 5/pkg
JR-CFE-S75-5	In-line filter Cartridge, 75 um, 5/pkg
JR-CFL-2W-S	Nut, PP, 1/8", white, 1/4"-28,each
JR-CFL-4D	Nut, Polyacetal, flangeless, 1/4"
JR-CFL-CB1KF	Ferrule, CTFE, collapsible, 1/16", 10/pkg
JR-CFL-CB2KF	Ferrule, CTFE, collapsible, 1/8", 10/pkg
JR-CFL-CB2KF-S	Ferrule, CTFE, collapsible, 1/8"
JR-CFL-CB4KF-S	Ferrule, CTFE, collapsible, 1/4"
JR-CM1XPK	Mixing Tee, PEEK, LP 0.75 mm, complete
JR-CM2XPK	Mixing Tee, PEEK, LP 1.50 mm, complete
JR-C-NERU1FPK	Union, PEEK, 150 um bore, reducing,Ext.1/16" - Int. 1/32"
JR-C-NEU.5FPK	Union, PEEK, 150 um bore,Int. 1/32" - Ext. 1/32" ZDVF
JR-C-NEU.5XFPK	Union, PEEK, 100 um bore,Int. 1/32" - Ext. 1/32" ZDVF
JR-C-NNFFPK	Fitting, PEEK, one-piece short, grooved ferrule, 1/32"
JR-CU4LPK	Reducing Union, PEEK, LP 1.5 mm bore, 1/4" to 1/8", complete
JR-EN1FPKB	Nut, PEEK, External, 1/16"
JR-F-197-062-2TINC	Frit, Ti, 0.197 diam., 0.062" thick, 2 um,no chamfer

Aurora Borealis Control B.V.

Since 1998, a bunch of experience
 P.O. Box 2, NL-7760 AA, Schoonebeek, The Netherlands
 info@aurora-borealis.nl

Tel.: +31 524 532 460
 Fax. : +31 524 532 471



Part Number	Description
JR-F-197-062-5TI	Frit, Ti, 0.197 diam., 0.062" thick, 5 um
JR-F-255-079-10PE-5	Frit, PE, 0.255"OD, 0.079" thick, 10um, 5 /pkg
JR-FPKBSS.5	Ferrule, PEEK, 1/32" incl. SS Bushing, pack of 10 sets
JR-FPKBSS1	Ferrule, PEEK, 1/16" incl. SS Bushing, pack of 10 sets
JR-FRK1	Ferrule removal kit
JR-FRK2	Ferrule removal kit, for 1/16" and 1/8" ferrules
JR-HKS	Hex key set
JR-LZN1-5	Nut, SS, 1/16" Long, Valco type, 10-32, 5/pkg
JR-LZNF1KF-5	Fitting, PEEK, No Twist, 10-32, 1/16", long,hex-head with CTFE Ferrule, 5/pkg
JR-LZNF1PK-5	Fitting, PEEK, No Twist, 10-32, 1/16", long,hex-head with PEEK Ferrule, 5/pkg
JR-LZNF1PKG-5	Fitting, PEEK, No Twist, 10-32, 1/16", long,hex-head with glass filled PEEK Ferrule 5/pkg
JR-MZN1-5	Nut, SS, 1/16" Medium, Valco type, 10-32, 5/pkg
JR-MZNF1KF-5	Fitting, PEEK, No Twist, 10-32, 1/16", medium,hex-head with CTFE Ferrule, 5/pkg
JR-MZNF1PK-5	Fitting, PEEK, No Twist, 10-32, 1/16", medium,hex-head with PEEK Ferrule, 5/pkg
JR-MZNF1PKG-5	Fitting, PEEK, No Twist, 10-32, 1/16", medium,hex-head with glass filled PEEK Ferrule 5/pkg
JR-PTAS	Peristaltic Tubing Adapter Set, complete
JR-S-11001	VICI-Cap GL45, 2 ports
JR-S-11002	VICI-Cap GL45, 3 ports
JR-S-11003	VICI-Cap GL45, 4 ports
JR-S-11005	VICI-Cap GL45, 6 ports
JR-S-11006	VICI-Cap GL45, 7 ports
JR-S-11011	VICI-Safety-Cap GL45, 2 ports, with valves
JR-S-11012	VICI-Safety-Cap GL45, 3 ports, with valves
JR-S-11013	VICI-Safety-Cap GL45, 4 ports, with valves

Aurora Borealis Control B.V.

Since 1998, a bunch of experience
P.O. Box 2, NL-7760 AA, Schoonebeek, The Netherlands
info@aurora-borealis.nl

Tel.: +31 524 532 460

Fax. : +31 524 532 471



Part Number

Description

Part Number	Description
JR-S-11101	VICI-Cap GL45, 2 ports,Kit 1 L
JR-S-11102	VICI-Cap GL45, 3 ports,Kit 1 L
JR-S-11103	VICI-Cap GL45, 4 ports,Kit 1 L
JR-S-11111	VICI-Safety-Cap GL45, 2 ports,Kit 1 L
JR-S-11112	VICI-Safety-Cap GL45 , 3 ports,Kit 1 L
JR-S-11113	VICI-Safety-Cap GL45, 4 ports,Kit 1 L
JR-S-11201	VICI-Cap GL45, 2 ports,Kit 2 L
JR-S-11202	VICI-Cap GL45, 3 ports,Kit 2 L
JR-S-11203	VICI-Cap GL45, 4 ports,Kit 2 L
JR-S-11211	VICI-Safety-Cap GL45, 2 ports,Kit 2 L
JR-S-11212	VICI-Safety-Cap GL45, 3 ports,Kit 2 L
JR-S-11213	VICI-Safety-Cap GL45, 4 ports,Kit 2 L
JR-S-13001	VICI-Cap GL38, 2 ports
JR-S-13002	VICI-Cap GL38, 3 ports
JR-S-13003	VICI-Cap GL38, 4 ports
JR-S-14002	VICI-Cap S40, 3 ports
JR-S-15001	VICI-Cap DIN 50, 2 ports
JR-S-15002	VICI-Cap DIN 50, 3 ports
JR-S-15003	VICI-Cap DIN 50, 4 ports
JR-S-15011	VICI-Safety-Cap DIN 50, 2 ports, with valves
JR-S-15012	VICI-Safety-Cap DIN 50, 3 ports, with valves
JR-S-15013	VICI-Safety-Cap DIN 50, 4 ports, with valves
JR-S-15103	VICI-Cap S 51, 4 ports,incl. nuts, ferrules and Plug 1/4"
JR-S-15113	VICI-Cap S 51, 4 ports, for angled barbed adapter,incl. nuts and ferrules, without barbed adapter

Aurora Borealis Control B.V.

Since 1998, a bunch of experience
P.O. Box 2, NL-7760 AA, Schoonebeek, The Netherlands
info@aurora-borealis.nl

Tel.: +31 524 532 460

Fax. : +31 524 532 471



Part Number

Description

JR-S-15303	VICI-Cap B 53, 4 ports,incl. nuts, ferrules and Plug 1/4"
JR-S-15313	VICI-Cap B 53, 4 ports, for angled barbed adapter,incl. nuts and ferrules, without barbed adapter
JR-S-16003	VICI-Cap DIN 60, 4 ports,incl. nuts, ferrules and Plug 1/4"
JR-S-16013	VICI-Cap DIN 60, 4 ports, for angled barbed adapte,incl. nuts and ferrules, without barbed adapter
JR-S-16103	VICI-Cap S 61, 4 ports,incl. nuts, ferrules and Plug 1/4"
JR-S-16113	VICI-Cap S 61, 4 ports, for angled barbed adapter,incl. nuts and ferrules, without barbed adapter
JR-S-18004	VICI-Cap GLS 80, 5 ports,incl. nuts, ferrules and Plug 1/4"
JR-S-18014	VICI-Cap GLS 80, 5 ports, for angled barbed adapt., incl. nuts and ferrules, without barbed adapter
JR-S-18304	VICI-Cap B 83, 5 ports,incl. nuts, ferrules and Plug 1/4"
JR-S-18314	VICI-Cap B 83, 5 ports, for angled barbed adapt., incl. nuts and ferrules, without barbed adapter
JR-S-20002	Safety Exhaust Filter, for VICI Caps or VICI Safety Caps
JR-S-20003	Safety Air Inlet Valve, with 4 mm filter, for VICI Caps or VICI Safety Caps
JR-S-20004	Safety Air outlet valve, with 4 mm filter, for VICI Caps or VICI Safety Caps
JR-S-20005	Safety Exhaust filter with Breakthrough Detector, for VICI Caps or VICI Safety Caps
JR-S-20006	Safety Air Inlet Valve, without filter, for VICI Caps or VICI Safety Caps
JR-S-20007	Filter, cellulose, 4 mm, 0.2 um for Air Inlet Valve
JR-S-20008	Filter, cellulose, 15 mm, 0.2 um for Air Inlet Valve
JR-S-20009	Safety Air Inlet Valve, with 15 mm filter, for VICI Caps or VICI Safety Caps
JR-S-40004	Adapter connecting JR-S-20002/JR-S-20005,in SCAT/AIT Caps
JR-S-40006	Adapter Ring VICI Caps GL 38
JR-S-40007	Plug, PTFE, 1/2"-20, for JR-CFL-4D
JR-S-40008	O-Ring FEP coated, GL45 Caps
JR-S-40009	O-Ring, FEP coated, GL38 Caps
JR-S-40104	Adapter, angled, Nylon, barbed for 4 mm ID tubing, to thread

Aurora Borealis Control B.V.

Since 1998, a bunch of experience
P.O. Box 2, NL-7760 AA, Schoonebeek, The Netherlands
info@aurora-borealis.nl

Tel.: +31 524 532 460

Fax. : +31 524 532 471



Part Number

Description

JR-S-40106	Adapter, angled, Nylon, barbed for 6 mm ID tubing, to thread
JR-S-40108	Adapter, angled, Nylon, barbed for 8 mm ID tubing, to thread
JR-SLC-85-10	Sample Loop, PEEK, Cheminert, 10 ul
JR-SLC-85-100	Sample Loop, PEEK, Cheminert, 100 ul
JR-SLC-85-1000	Sample Loop, PEEK, Cheminert, 1 ml
JR-SLC-85-20	Sample Loop, PEEK, Cheminert, 20 ul
JR-SLC-85-200	Sample Loop, PEEK, Cheminert, 200 ul
JR-SLC-85-250	Sample Loop, PEEK, Cheminert, 250 ul
JR-SLC-85-300	Sample Loop, PEEK, Cheminert, 300 ul
JR-SLC-85-5	Sample Loop, PEEK, Cheminert, 5 ul
JR-SLC-85-50	Sample Loop, PEEK, Cheminert, 50 ul
JR-SLC-85-500	Sample Loop, PEEK, Cheminert, 500 ul
JR-SLC-86-10	Sample Loop, SS, Cheminert, 10 ul
JR-SLC-86-100	Sample Loop, SS, Cheminert, 100 ul
JR-SLC-86-1000	Sample Loop, SS, Cheminert, 1 ml
JR-SLC-86-20	Sample Loop, SS, Cheminert, 20 ul
JR-SLC-86-250	Sample Loop, SS, Cheminert, 250 ul
JR-SLC-86-5	Sample Loop, SS, Cheminert, 5 ul
JR-SLC-86-50	Sample Loop, SS, Cheminert, 50 ul
JR-SLC-86-500	Sample Loop, SS, Cheminert, 500 ul
JR-SLR-111	Sample Loop, SS, Rheodyne, 5 ul
JR-SLR-111-77	Sample Loop, SS, Rheodyne 7725, 5 ul
JR-SLR-112	Sample Loop, SS, Rheodyne, 10 ul
JR-SLR-112-77	Sample Loop, SS, Rheodyne 7725, 10 ul

Aurora Borealis Control B.V.

Since 1998, a bunch of experience
P.O. Box 2, NL-7760 AA, Schoonebeek, The Netherlands
info@aurora-borealis.nl

Tel.: +31 524 532 460

Fax. : +31 524 532 471



Part Number

Description

Part Number	Description
JR-SLR-113	Sample Loop, SS, Rheodyne, 20 ul
JR-SLR-113-77	Sample Loop, SS, Rheodyne 7725, 20 ul
JR-SLR-114	Sample Loop, SS, Rheodyne, 50 ul
JR-SLR-114-77	Sample Loop, SS, Rheodyne 7725, 50 ul
JR-SLR-115	Sample Loop, SS, Rheodyne, 100 ul
JR-SLR-115-77	Sample Loop, SS, Rheodyne 7725, 100 ul
JR-SLR-116	Sample Loop, SS, Rheodyne, 200 ul
JR-SLR-116-77	Sample Loop, SS, Rheodyne 7725, 200 ul
JR-SLR-117	Sample Loop, SS, Rheodyne, 500 ul
JR-SLR-117-77	Sample Loop, SS, Rheodyne 7725, 500 ul
JR-SLR-118	Sample Loop, SS, Rheodyne, 1 ml
JR-SLR-118-77	Sample Loop, SS, Rheodyne 7725, 1ml
JR-SLR-2190	Sample Loop, PEEK, Rheodyne, 1 ul
JR-SLR-2191	Sample Loop, PEEK, Rheodyne, 2 ul
JR-SLR-2192	Sample Loop, PEEK, Rheodyne, 3 ul
JR-SLR-2193	Sample Loop, PEEK, Rheodyne, 4 ul
JR-SLR-2194	Sample Loop, PEEK, Rheodyne, 5 ul
JR-SLR-2195	Sample Loop, PEEK, Rheodyne, 20 ul
JR-SLR-2196	Sample Loop, PEEK, Rheodyne, 10 ul
JR-SLR-2200	Sample Loop, PEEK, Rheodyne, 30 ul
JR-SLR-2201	Sample Loop, PEEK, Rheodyne, 40 ul
JR-SLR-2202	Sample Loop, PEEK, Rheodyne, 50 ul
JR-SLR-2204	Sample Loop, PEEK, Rheodyne, 100 ul
JR-SLR-2206	Sample Loop, PEEK, Rheodyne, 200 ul

Aurora Borealis Control B.V.

Since 1998, a bunch of experience
P.O. Box 2, NL-7760 AA, Schoonebeek, The Netherlands
info@aurora-borealis.nl

Tel.: +31 524 532 460

Fax. : +31 524 532 471



Part Number

Description

Part Number	Description
JR-SLR-2207	Sample Loop, PEEK, Rheodyne, 250 ul
JR-SLR-2210	Sample Loop, PEEK, Rheodyne, 500 ul
JR-SLR-2222	Sample Loop, PEEK, Rheodyne, 1 ml
JR-SLV-75-10	Sample Loop, PEEK, Valco, 10 ul
JR-SLV-75-100	Sample Loop, PEEK, Valco, 100 ul
JR-SLV-75-1000	Sample Loop, PEEK, Valco, 1 ml
JR-SLV-75-20	Sample Loop, PEEK, Valco, 20 ul
JR-SLV-75-250	Sample Loop, PEEK, Valco, 250 ul
JR-SLV-75-5	Sample Loop, PEEK, Valco, 5 ul
JR-SLV-75-50	Sample Loop, PEEK, Valco, 50 ul
JR-SLV-75-500	Sample Loop, PEEK, Valco, 500 ul
JR-SLV-76-10	Sample Loop, SS, Valco, 10 ul
JR-SLV-76-100	Sample Loop, SS, Valco, 100 ul
JR-SLV-76-1000	Sample Loop, SS, Valco, 1 ml
JR-SLV-76-20	Sample Loop, SS, Valco, 20 ul
JR-SLV-76-250	Sample Loop, SS, Valco, 250 ul
JR-SLV-76-5	Sample Loop, SS, Valco, 5 ul
JR-SLV-76-50	Sample Loop, SS, Valco, 50 ul
JR-SLV-76-500	Sample Loop, SS, Valco, 500 ul
JR-T-078-M10	Tubing, ETFE, 1/16" x 0.17 mm ID, 10 m/pkg
JR-T-078-M25	Tubing, ETFE, 1/16" x 0.17 mm ID, 25 m/pkg
JR-T-078-M3	Tubing, ETFE, 1/16" x 0.17 mm ID, 3 m/pkg
JR-T-080-M10	Tubing, ETFE, 1/16" x 0.25 mm ID, 10 m/pkg
JR-T-080-M25	Tubing, ETFE, 1/16" x 0.25 mm ID, 25 m/pkg

Aurora Borealis Control B.V.

Since 1998, a bunch of experience
P.O. Box 2, NL-7760 AA, Schoonebeek, The Netherlands
info@aurora-borealis.nl

Tel.: +31 524 532 460

Fax. : +31 524 532 471



Part Number

Description

Part Number	Description
JR-T-080-M3	Tubing, ETFE, 1/16" x 0.25 mm ID, 3 m/pkg
JR-T-082-M10	Tubing, ETFE, 1/16" x 0.50 mm ID, 10 m/pkg
JR-T-082-M25	Tubing, ETFE, 1/16" x 0.50 mm ID, 25 m/pkg
JR-T-082-M3	Tubing, ETFE, 1/16" x 0.50 mm ID, 3 m/pkg
JR-T-083-M10	Tubing, ETFE, 1/16" x 0.75 mm ID, 10 m/pkg
JR-T-083-M25	Tubing, ETFE, 1/16" x 0.75 mm ID, 25 m/pkg
JR-T-083-M3	Tubing, ETFE, 1/16" x 0.75 mm ID, 3 m/pkg
JR-T-084-M10	Tubing, ETFE, 1/32" x 0.25 mm ID, 10 m/pkg
JR-T-084-M25	Tubing, ETFE, 1/32" x 0.25 mm ID, 25 m/pkg
JR-T-084-M3	Tubing, ETFE, 1/32" x 0.25 mm ID, 3 m/pkg
JR-T-085-M10	Tubing, ETFE, 1/16" x 1.00 mm ID, 10 m/pkg
JR-T-085-M25	Tubing, ETFE, 1/16" x 1.00 mm ID, 25 m/pkg
JR-T-085-M3	Tubing, ETFE, 1/16" x 1.00 mm ID, 3 m/pkg
JR-T-086-M10	Tubing, ETFE, 1/8" x 1.59 mm ID, 10 m/pkg
JR-T-086-M25	Tubing, ETFE, 1/8" x 1.59 mm ID, 25 m/pkg
JR-T-086-M3	Tubing, ETFE, 1/8" x 1.59 mm ID, 3 m/pkg
JR-T-087-M1	Tubing, ETFE, 3.0 x 1.0 mm, 1 m/pkg
JR-T-087-M3	Tubing, ETFE, 3.0 x 1.0 mm, 3 m/pkg
JR-T-088-M1	Tubing, ETFE, 6.0 x 4.0 mm, 1 m/pkg
JR-T-088-M3	Tubing, ETFE, 6.0 x 4.0 mm, 3 m/pkg
JR-T-36100-M1	Tubing, PEEK, 360um OD x 100um ID, grey solid, 1 m/pkg
JR-T-36100-M3	Tubing, PEEK, 360um OD x 100um ID, grey solid, 3 m/pkg
JR-T-36125-M1	Tubing, PEEK, 360um OD x 125um ID, red striped, 1 m/pkg
JR-T-36125-M3	Tubing, PEEK, 360um OD x 125um ID, red striped, 3 m/pkg

Aurora Borealis Control B.V.

Since 1998, a bunch of experience
P.O. Box 2, NL-7760 AA, Schoonebeek, The Netherlands
info@aurora-borealis.nl

Tel.: +31 524 532 460

Fax. : +31 524 532 471



Part Number

Description

Part Number	Description
JR-T-36150-M1	Tubing, PEEK, 360um OD x 150um ID, black striped, 1 m/pkg
JR-T-36150-M3	Tubing, PEEK, 360um OD x 150um ID, black striped, 1 m/pkg
JR-T-3650-M1	Tubing, PEEK, 360um OD x 50um ID, orange striped, 1 m/pkg
JR-T-3650-M3	Tubing, PEEK, 360um OD x 50um ID, orange striped, 3 m/pkg
JR-T-3675-M1	Tubing, PEEK, 360um OD x 75um ID, green striped, 1 m/pkg
JR-T-3675-M3	Tubing, PEEK, 360um OD x 75um ID, green striped, 3 m/pkg
JR-T-37100-M1	Tubing, PEEK, 360um OD x 100um ID, grey solid, 1 m/pkg
JR-T-37100-M3	Tubing, PEEK, 360um OD x 100um ID, grey solid, 3 m/pkg
JR-T-37125-M1	Tubing, PEEK, 360um OD x 125um ID, red solid, 1 m/pkg
JR-T-37125-M3	Tubing, PEEK, 360um OD x 125um ID, red solid, 3 m/pkg
JR-T-37150-M1	Tubing, PEEK, 360um OD x 150um ID, black solid, 1 m/pkg
JR-T-37150-M3	Tubing, PEEK, 360um OD x 150um ID, black solid, 3 m/pkg
JR-T-3750-M1	Tubing, PEEK, 360um OD x 50um ID, orange solid, 1 m/pkg
JR-T-3750-M3	Tubing, PEEK, 360um OD x 50um ID, orange solid, 3 m/pkg
JR-T-3775-M1	Tubing, PEEK, 360um OD x 75um ID, green solid, 1 m/pkg
JR-T-3775-M3	Tubing, PEEK, 360um OD x 75um ID, green solid, 3 m/pkg
JR-T-4001-M10	Tubing, PFA, 1/16" x 0.50 mm ID, 10 m/pkg
JR-T-4001-M25	Tubing, PFA, 1/16" x 0.50 mm ID, 25 m/pkg
JR-T-4001-M3	Tubing, PFA, 1/16" x 0.50 mm ID, 3 m/pkg
JR-T-4002-M10	Tubing, PFA, 1/16" x 0.75 mm ID, 10 m/pkg
JR-T-4002-M25	Tubing, PFA, 1/16" x 0.75 mm ID, 25 m/pkg
JR-T-4002-M3	Tubing, PFA, 1/16" x 0.75 mm ID, 3 m/pkg
JR-T-4003-M10	Tubing, PFA, 1/8" x 1.59 mm ID, 10 m/pkg
JR-T-4003-M25	Tubing, PFA, 1/8" x 1.59 mm ID, 25 m/pkg

Aurora Borealis Control B.V.

Since 1998, a bunch of experience
 P.O. Box 2, NL-7760 AA, Schoonebeek, The Netherlands
 info@aurora-borealis.nl

Tel.: +31 524 532 460
 Fax. : +31 524 532 471



Part Number	Description
-------------	-------------

JR-T-4003-M3	Tubing, PFA, 1/8" x 1.59 mm ID, 3 m/pkg
JR-T-4004	Tubing, PFA, 1/4" x 4.35 mm ID
JR-T-4005	Tubing, PFA, 1/8" x 1.7 mm ID
JR-T-4007-M10	Tubing, PFA, 1/16" x 1.0 mm ID, 10 m/pkg
JR-T-4007-M25	Tubing, PFA, 1/16" x 1.0 mm ID, 25 m/pkg
JR-T-4007-M3	Tubing, PFA, 1/16" x 1.0 mm ID, 3 m/pkg
JR-T-4009	Tubing, PFA, 3/16" x 3.20 mm ID
JR-T-4011C-M10	Tubing, PTFE, 1/16" x 0.25 mm ID, blue, 10 m/pkg
JR-T-4011C-M25	Tubing, PTFE, 1/16" x 0.25 mm ID, blue, 25 m/pkg
JR-T-4011C-M3	Tubing, PTFE, 1/16" x 0.25 mm ID, blue, 3 m/pkg
JR-T-4011-M10	Tubing, PTFE, 1/16" x 0.25 mm ID, 10 m/pkg
JR-T-4011-M25	Tubing, PTFE, 1/16" x 0.25 mm ID, 25 m/pkg
JR-T-4011-M3	Tubing, PTFE, 1/16" x 0.25 mm ID, 3 m/pkg
JR-T-4011-M5	Tubing, PTFE, 1/16" x 0.25 mm ID, 5 m/pkg,
JR-T-4036C-M10	Tubing, PTFE, 1/16" x 0.75 mm ID green, 10 m/pkg
JR-T-4036C-M25	Tubing, PTFE, 1/16" x 0.75 mm ID green, 25 m/pkg
JR-T-4036C-M3	Tubing, PTFE, 1/16" x 0.75 mm ID green, 3 m/pkg
JR-T-4036-M10	Tubing, PTFE, 1/16" OD x 0.75 mm ID, 10 m/pkg
JR-T-4036-M25	Tubing, PTFE, 1/16" x 0.75 mm ID, 25 m/pkg
JR-T-4036-M3	Tubing, PTFE, 1/16" x 0.75 mm ID, 3 m/pkg
JR-T-4036-M5	Tubing, PTFE, 1/16" x 0.75 mm ID, 5 m/pkg
JR-T-4037-M10	Tubing, PTFE, 1/8" x 2.40 mm ID, 10 m/pkg
JR-T-4037-M25	Tubing, PTFE, 1/8" x 2.40 mm ID, 25 m/pkg
JR-T-4037-M3	Tubing, PTFE, 1/8" x 2.40 mm ID, 3 m/pkg

Aurora Borealis Control B.V.

Since 1998, a bunch of experience
 P.O. Box 2, NL-7760 AA, Schoonebeek, The Netherlands
 info@aurora-borealis.nl

Tel.: +31 524 532 460
 Fax. : +31 524 532 471



Part Number	Description
-------------	-------------

JR-T-4037-M5	Tubing, PTFE, 1/8" x 2.40 mm ID, 5 m/pkg
JR-T-4039-M3	Tubing, PTFE, 4.0 x 3.0 mm ID, 3 m/pkg
JR-T-4039-M5	Tubing, PTFE, 4.0 x 3.0 mm ID, 5 m/pkg
JR-T-4041	Tubing, PTFE, 4.76 x 3.76 mm ID
JR-T-4183C-M10	Tubing, PTFE, 1/16" x 0.50 mm orange, 10 m/pkg
JR-T-4183C-M25	Tubing, PTFE, 1/16" x 0.50 mm orange, 25 m/pkg
JR-T-4183C-M3	Tubing, PTFE, 1/16" x 0.50 mm orange, 3 m/pkg
JR-T-4183-M10	Tubing, PTFE, 1/16" x 0.50 mm ID, 10 m/pkg
JR-T-4183-M25	Tubing, PTFE, 1/16" x 0.50 mm ID, 25 m/pkg
JR-T-4183-M3	Tubing, PTFE, 1/16" x 0.50 mm ID, 3 m/pkg
JR-T-4183-M5	Tubing, PTFE, 1/16" x 0.50 mm ID, 5 m/pkg
JR-T-436100-M1	Tubing, PFA, 360 um x 100 um ID, 1 m/pkg
JR-T-436100-M3	Tubing, PFA, 360 um x 100 um ID, 3 m/pkg
JR-T-436150-M1	Tubing, PFA, 360 um x 150 um ID, 1 m/pkg
JR-T-436150-M3	Tubing, PFA, 360 um x 150 um ID, 1 m/pkg
JR-T-43650-M1	Tubing, PFA, 360 um x 50 um ID, 1 m/pkg
JR-T-43650-M3	Tubing, PFA, 360 um x 50 um ID, 3 m/pkg
JR-T-43675-M1	Tubing, PFA, 360 um x 75 um ID, 1 m/pkg
JR-T-43675-M3	Tubing, PFA, 360 um x 75 um ID, 3 m/pkg
JR-T-5602-M1	Tubing, PEEK, 1/32" x 50 um / .002" ID, orange solid, 1 m/pkg
JR-T-5602-M3	Tubing, PEEK, 1/32" x 50 um / .002" ID, orange solid, 3 m/pkg
JR-T-5603-M1	Tubing, PEEK, 1/32" x 75 um / .003" ID, green solid, 1 m/pkg
JR-T-5603-M3	Tubing, PEEK, 1/32" x 75 um / .003" ID, green solid, 3 m/pkg
JR-T-5604-M1	Tubing, PEEK, 1/32" x 100 um / .004" ID, black solid, 1 m/pkg

Aurora Borealis Control B.V.

Since 1998, a bunch of experience
 P.O. Box 2, NL-7760 AA, Schoonebeek, The Netherlands
 info@aurora-borealis.nl

Tel.: +31 524 532 460

Fax. : +31 524 532 471



Part Number

Description

Part Number	Description
JR-T-5604-M3	Tubing, PEEK, 1/32" x 100 um / .004" ID, black solid, 3 m/pkg
JR-T-5605-M1	Tubing, PEEK, 1/32" x 0.13 mm / .005" ID, red solid, 1 m/pkg
JR-T-5605-M3	Tubing, PEEK, 1/32" x 0.13 mm / .005" ID, red solid, 3 m/pkg
JR-T-5606-M1	Tubing, PEEK, 1/32" x 0.15 mm/ .006" ID, purple solid, 1 m/pkg
JR-T-5606-M3	Tubing, PEEK, 1/32" x 0.15 mm/ .006" ID, purple solid, 3 m/pkg
JR-T-5607-M1	Tubing, PEEK, 1/32" x 0.18 mm / .007" ID, yellow solid, 1 m/pkg
JR-T-5607-M3	Tubing, PEEK, 1/32" x 0.18 mm / .007" ID, yellow solid, 3 m/pkg
JR-T-5608-M1	Tubing, PEEK, 1/32" x 0.20 mm / .008" ID, orange solid, 1 m/pkg
JR-T-5608-M3	Tubing, PEEK, 1/32" x 0.20 mm / .008" ID, orange solid, 3 m/pkg
JR-T-5610-M1	Tubing, PEEK, 1/32" x 0.25 um / .010" ID, blue solid, 1 m/pkg
JR-T-5610-M3	Tubing, PEEK, 1/32" x 0.25 um / .010" ID, blue solid, 3 m/pkg
JR-T-5620-M1	Tubing, PEEK, 1/32" x 0.50 mm / .020 " ID, orange solid, 1 m/pkg
JR-T-5620-M3	Tubing, PEEK, 1/32" x 0.50 mm / .020 " ID, orange solid, 3 m/pkg
JR-T-5664-M1	Tubing, PEEK, 1/32" x 64 um / .0025" ID, pink solid, 1 m/pkg
JR-T-5664-M3	Tubing, PEEK, 1/32" x 64 um / .0025" ID, pink solid, 3 m/pkg
JR-T-5702-M1	Tubing, PEEK, 1/32" x 50 um / .002" ID, orange striped, 1 m/pkg
JR-T-5702-M3	Tubing, PEEK, 1/32" x 50 um / .002" ID, orange striped, 3 m/pkg
JR-T-5703-M1	Tubing, PEEK, 1/32" x 75 um / .003" ID, green striped, 1 m/pkg
JR-T-5703-M3	Tubing, PEEK, 1/32" x 75 um / .003" ID, green striped, 3 m/pkg
JR-T-5704-M1	Tubing, PEEK, 1/32" x 100 um / .004" ID, black striped, 1 m/pkg
JR-T-5704-M3	Tubing, PEEK, 1/32" x 100 um / .004" ID, black striped, 3 m/pkg
JR-T-5705-M1	Tubing, PEEK, 1/32" x 0.13 mm / .005" ID, red striped, 1 m/pkg
JR-T-5705-M3	Tubing, PEEK, 1/32" x 0.13 mm / .005" ID, red striped, 3 m/pkg
JR-T-5706-M1	Tubing, PEEK, 1/32" x 0.15 mm/ .006" ID,natural, 1 m/pkg

Aurora Borealis Control B.V.

Since 1998, a bunch of experience
 P.O. Box 2, NL-7760 AA, Schoonebeek, The Netherlands
 info@aurora-borealis.nl

Tel.: +31 524 532 460
 Fax. : +31 524 532 471



Part Number	Description
JR-T-5706-M3	Tubing, PEEK, 1/32" x 0.15 mm / .006" ID, natural, 3 m/pkg
JR-T-5707-M1	Tubing, PEEK, 1/32" x 0.18 mm / .007" ID, yellow striped, 1 m/pkg
JR-T-5707-M3	Tubing, PEEK, 1/32" x 0.18 mm / .007" ID, yellow striped, 3 m/pkg
JR-T-5710-M1	Tubing, PEEK, 1/32" x 0.25 mm / .010" ID, blue striped, 1 m/pkg
JR-T-5710-M3	Tubing, PEEK, 1/32" x 0.25 mm / .010" ID, blue striped, 3 m/pkg
JR-T-5715-M10	Tubing, PEEK, 1/32" x 0.38 mm / .015" ID, natural, 10 m/pkg
JR-T-5715-M3	Tubing, PEEK, 1/32" x 0.38 mm / .015" ID, natural, 3 m/pkg
JR-T-5720-M1	Tubing, PEEK, 1/32" x 0.50 mm ID, orange striped, 1 m/pkg
JR-T-5720-M3	Tubing, PEEK, 1/32" x 0.50 mm ID, orange striped, 3 m/pkg
JR-T-5764-M1	Tubing, PEEK, 1/32" x 64 um / .003" ID, pink striped, 1 m/pkg
JR-T-5764-M3	Tubing, PEEK, 1/32" x 64 um / .003" ID, pink striped, 1 m/pkg
JR-T-5802-M10	Tubing, PEEK, 1/16" x 0.050 mm ID, orange striped, 10 m/pkg
JR-T-5802-M25	Tubing, PEEK, 1/16" x 0.050 mm ID, orange striped, 25 m/pkg
JR-T-5802-M3	Tubing, PEEK, 1/16" x 0.050 mm ID, orange striped, 3 m/pkg
JR-T-5802-M5	Tubing, PEEK, 1/16" x 0.050 mm ID, orange striped, 5 m/pkg
JR-T-5803-M10	Tubing, PEEK, 1/16" x 0.075 mm ID, green striped, 10 m/pkg
JR-T-5803-M25	Tubing, PEEK, 1/16" x 0.075 mm ID, green striped, 25 m/pkg
JR-T-5803-M3	Tubing, PEEK, 1/16" x 0.075 mm ID, green striped, 3 m/pkg
JR-T-5803-M5	Tubing, PEEK, 1/16" x 0.075 mm ID, green striped, 5 m/pkg
JR-T-5804-M10	Tubing, PEEK, 1/16" x 0.100 mm ID, black striped, 10 m/pkg
JR-T-5804-M25	Tubing, PEEK, 1/16" x 0.100 mm ID, black striped, 25 m/pkg
JR-T-5804-M3	Tubing, PEEK, 1/16" x 0.100 mm ID, black striped, 3 m/pkg
JR-T-5804-M5	Tubing, PEEK, 1/16" x 0.100 mm ID, black striped, 5 m/pkg
JR-T-5993-M10	Tubing, PEEK, 1/32" x 0.13 mm ID, natural, 10 m/pkg

Aurora Borealis Control B.V.

Since 1998, a bunch of experience
P.O. Box 2, NL-7760 AA, Schoonebeek, The Netherlands
info@aurora-borealis.nl

Tel.: +31 524 532 460

Fax. : +31 524 532 471



Part Number

Description

Part Number	Description
JR-T-5993-M3	Tubing, PEEK, 1/32" x 0.13 mm ID, natural, 3 m/pkg
JR-T-5994-M10	Tubing, PEEK, 1/32" x 0.18 mm ID, natural, 10 m/pkg
JR-T-5994-M3	Tubing, PEEK, 1/32" x 0.18 mm ID, natural, 3 m/pkg
JR-T-5995-M10	Tubing, PEEK, 1/32" x 0.25 mm ID, natural, 10 m/pkg
JR-T-5995-M3	Tubing, PEEK, 1/32" x 0.25 mm ID, natural, 3 m/pkg
JR-T-5998C-M10	Tubing, PEEK, 1/16" x 0.064 mm ID, pink striped, 10 m/pkg
JR-T-5998C-M25	Tubing, PEEK, 1/16" x 0.064 mm ID, pink striped, 25 m/pkg
JR-T-5998C-M3	Tubing, PEEK, 1/16" x 0.064 mm ID, pink striped, 3 m/pkg
JR-T-5998C-M5	Tubing, PEEK, 1/16" x 0.064 mm ID, pink striped, 5 m/pkg
JR-T-5998-M10	Tubing, PEEK, 1/16" x 0.064 mm ID, natural, 10 m/pkg, tolerance OD/ID ± 0.001 "/0.025 mm
JR-T-5998-M3	Tubing, PEEK, 1/16" x 0.064 mm ID, natural, 3 m/pkg, tolerance OD/ID ± 0.001 "/0.025 mm
JR-T-5999-M10	Tubing, PEEK, 1/16" x 0.13 mm ID, red striped, 10 m/pkg
JR-T-5999-M25	Tubing, PEEK, 1/16" x 0.13 mm ID, red striped, 25 m/pkg
JR-T-5999-M3	Tubing, PEEK, 1/16" x 0.13 mm ID, red striped, 3 m/pkg
JR-T-5999-M5	Tubing, PEEK, 1/16" x 0.13 mm ID, red striped, 5 m/pkg
JR-T-6000-M10	Tubing, PEEK, 1/16" x 0.18 mm ID, yellow striped, 10 m/pkg
JR-T-6000-M25	Tubing, PEEK, 1/16" x 0.18 mm ID, yellow striped, 25 m/pkg
JR-T-6000-M3	Tubing, PEEK, 1/16" x 0.18 mm ID, yellow striped, 3 m/pkg
JR-T-6000-M5	Tubing, PEEK, 1/16" x 0.18 mm ID, yellow striped, 5 m/pkg
JR-T-6001-M10	Tubing, PEEK, 1/16" x 0.25 mm ID, blue striped, 10 m/pkg
JR-T-6001-M25	Tubing, PEEK, 1/16" x 0.25 mm ID, blue striped, 25 m/pkg
JR-T-6001-M3	Tubing, PEEK, 1/16" x 0.25 mm ID, blue striped, 3 m/pkg
JR-T-6001-M5	Tubing, PEEK, 1/16" x 0.25 mm ID, blue striped, 5 m/pkg
JR-T-6002-M10	Tubing, PEEK, 1/16" x 0.50 mm ID, orange striped, 10 m/pkg

Aurora Borealis Control B.V.

Since 1998, a bunch of experience
 P.O. Box 2, NL-7760 AA, Schoonebeek, The Netherlands
 info@aurora-borealis.nl

Tel.: +31 524 532 460
 Fax. : +31 524 532 471



Part Number	Description
-------------	-------------

JR-T-6002-M25	Tubing, PEEK, 1/16" x 0.50 mm ID, orange striped, 25 m/pkg
JR-T-6002-M3	Tubing, PEEK, 1/16" x 0.50 mm ID, orange striped, 3 m/pkg
JR-T-6002-M5	Tubing, PEEK, 1/16" x 0.50 mm ID, orange striped, 5 m/pkg
JR-T-60031-M10	Tubing, PEEK, 1/16" x 1.00 mm ID, grey striped, 10 m/pkg
JR-T-60031-M25	Tubing, PEEK, 1/16" x 1.00 mm ID, grey striped, 25 m/pkg
JR-T-60031-M3	Tubing, PEEK, 1/16" x 1.00 mm ID, grey striped, 3 m/pkg
JR-T-60031-M5	Tubing, PEEK, 1/16" x 1.00 mm ID, grey striped, 5 m/pkg
JR-T-60032-M10	Tubing, PEEK, 1/16" x 1.40 mm ID, black striped, 10 m/pkg
JR-T-60032-M25	Tubing, PEEK, 1/16" x 1.40 mm ID, black striped, 25 m/pkg
JR-T-60032-M3	Tubing, PEEK, 1/16" x 1.40 mm ID, black striped, 3 m/pkg
JR-T-60032-M5	Tubing, PEEK, 1/16" x 1.40 mm ID, black striped, 5 m/pkg
JR-T-6003-M10	Tubing, PEEK, 1/16" x 0.75 mm ID, green striped, 10 m/pkg
JR-T-6003-M25	Tubing, PEEK, 1/16" x 0.75 mm ID, green striped, 25 m/pkg
JR-T-6003-M3	Tubing, PEEK, 1/16" x 0.75 mm ID, green striped, 3 m/pkg
JR-T-6003-M5	Tubing, PEEK, 1/16" x 0.75 mm ID, green striped, 5 m/pkg
JR-T-60041-M10	Tubing, PEEK, 1/8" x 0.75 mm ID, natural, 10 m/pkg
JR-T-60041-M3	Tubing, PEEK, 1/8" x 0.75 mm ID, natural, 3 m/pkg
JR-T-60042-M10	Tubing, PEEK, 1/8" x 2.0 mm ID, natural, 10 m/pkg
JR-T-60042-M3	Tubing, PEEK, 1/8" x 2.0 mm ID, natural, 3 m/pkg
JR-T-6004-M10	Tubing, PEEK, 1/8" x 1.59 mm ID, natural, 10 m/pkg
JR-T-6004-M3	Tubing, PEEK, 1/8" x 1.59 mm ID, natural, 3 m/pkg
JR-T-6006	Tubing, PEEK, 1/4" x 3.17 mm ID, natural
JR-T-6007-M10	Tubing, PEEK, 1/16" x 0.13 mm ID, solid red, 10 m/pkg
JR-T-6007-M3	Tubing, PEEK, 1/16" x 0.13 mm ID, solid red, 3 m/pkg

Aurora Borealis Control B.V.

Since 1998, a bunch of experience
P.O. Box 2, NL-7760 AA, Schoonebeek, The Netherlands
info@aurora-borealis.nl

Tel.: +31 524 532 460

Fax. : +31 524 532 471



Part Number

Description

Part Number	Description
JR-T-6008-M10	Tubing, PEEK, 1/16" x 0.18 mm ID, solid yellow, 10 m/pkg
JR-T-6008-M3	Tubing, PEEK, 1/16" x 0.18 mm ID, solid yellow, 3 m/pkg
JR-T-6009-M10	Tubing, PEEK, 1/16" x 0.25 mm ID, solid blue, 10 m/pkg
JR-T-6009-M3	Tubing, PEEK, 1/16" x 0.25 mm ID, solid blue, 3 m/pkg
JR-T-6010-M10	Tubing, PEEK, 1/16" x 0.50 mm ID, solid orange, 10 m/pkg
JR-T-6010-M3	Tubing, PEEK, 1/16" x 0.50 mm ID, solid orange, 3 m/pkg
JR-T-6011-M10	Tubing, PEEK, 1/16" x 0.75 mm ID, solid green, 10 m/pkg
JR-T-6011-M3	Tubing, PEEK, 1/16" x 0.75 mm ID, solid green, 3 m/pkg
JR-T-6060-M10	Tubing, PEEK, 0.36 x 0.075 mm ID, natural, 10 m/pkg
JR-T-6060-M3	Tubing, PEEK, 0.36 x 0.075 mm ID, natural, 3 m/pkg
JR-T-6105-M10	Tubing, FEP, 1.0 x 0.50 mm ID, natural, 10 m/pkg
JR-T-6105-M25	Tubing, FEP, 1.0 x 0.50 mm ID, natural, 25 m/pkg
JR-T-6105-M3	Tubing, FEP, 1.0 x 0.50 mm ID, natural, 3 m/pkg
JR-T-6130-M10	Tubing, Impermeable, 1/8" x 1.65 mm ID, 10 m/pkg
JR-T-6130-M3	Tubing, Impermeable, 1/8" x 1.65 mm ID, 3 m/pkg
JR-T-6210-M10	Tubing, FEP, 2.0 x 1.0 mm ID, natural, 10 m/pkg
JR-T-6210-M25	Tubing, FEP, 2.0 x 1.0 mm ID, natural, 25 m/pkg
JR-T-6210-M3	Tubing, FEP, 2.0 x 1.0 mm ID, natural, 3 m/pkg
JR-T-625-04-M10	Tubing, SS, 1/16" x 0.13 mm ID, 10 m/pkg
JR-T-625-04-M3	Tubing, SS, 1/16" x 0.13 mm ID, 3 m/pkg
JR-T-625-05-M10	Tubing, SS, 1/16" x 0.18 mm ID, 10 m/pkg
JR-T-625-05-M3	Tubing, SS, 1/16" x 0.18 mm ID, 3 m/pkg
JR-T-625-10-M10	Tubing, SS, 1/16" x 0.25 mm ID, 10 m/pkg
JR-T-625-10-M3	Tubing, SS, 1/16" x 0.25 mm ID, 3 m/pkg

Aurora Borealis Control B.V.

Since 1998, a bunch of experience
 P.O. Box 2, NL-7760 AA, Schoonebeek, The Netherlands
 info@aurora-borealis.nl

Tel.: +31 524 532 460
 Fax. : +31 524 532 471



Part Number	Description
-------------	-------------

JR-T-625-20-M10	Tubing, SS, 1/16" x 0.50 mm ID, 10 m/pkg
JR-T-625-20-M3	Tubing, SS, 1/16" x 0.50 mm ID, 3 m/pkg
JR-T-625-30-M10	Tubing, SS, 1/16" x 0.75 mm ID, 10 m/pkg
JR-T-625-30-M3	Tubing, SS, 1/16" x 0.75 mm ID, 3 m/pkg
JR-T-625-40-M10	Tubing, SS, 1/16" x 1.0 mm ID, 10 m/pkg
JR-T-625-40-M3	Tubing, SS, 1/16" x 1.0 mm ID, 3 m/pkg
JR-T-626-00-M10	Tubing, SS, 1/8" x 2.1 mm ID, 10 m/pkg
JR-T-626-00-M3	Tubing, SS, 1/8" x 2.1 mm ID, 3 m/pkg
JR-T-628-00	Tubing, SS, 1/4" x 4.65 mm
JR-T-6310-M10	Tubing, FEP, 3.0 x 1.0 mm ID, natural, 10 m/pkg
JR-T-6310-M25	Tubing, FEP, 3.0 x 1.0 mm ID, natural, 25 m/pkg
JR-T-6310-M3	Tubing, FEP, 3.0 x 1.0 mm ID, natural, 3 m/pkg
JR-T-6320-M10	Tubing, FEP, 3.0 mm OD x 2.0 mm ID, 10 m/pkg
JR-T-6320-M3	Tubing, FEP, 3.0 mm OD x 2.0 mm ID, 3 m/pkg
JR-T-6604C-M10	Tubing, FEP, 1/32" x 0.10 mm ID, black solid, 10 m/pkg
JR-T-6604C-M25	Tubing, FEP, 1/32" x 0.10 mm ID, black solid, 25 m/pkg
JR-T-6604C-M3	Tubing, FEP, 1/32" x 0.10 mm ID, black solid, 3 m/pkg
JR-T-6605C-M10	Tubing, FEP, 1/32" x 0.13 mm ID, red solid, 10 m/pkg
JR-T-6605C-M25	Tubing, FEP, 1/32" x 0.13 mm ID, red solid, 25 m/pkg
JR-T-6605C-M3	Tubing, FEP, 1/32" x 0.13 mm ID, red solid, 3 m/pkg
JR-T-6605-M1	Tubing, FEP, 1/32" x 0.13 mm ID, natural, 1 m/pkg
JR-T-6605-M10	Tubing, FEP, 1/32" x 0.13 mm ID, natural, 10 m/pkg
JR-T-6605-M3	Tubing, FEP, 1/32" x 0.13 mm ID, natural, 3 m/pkg
JR-T-6606C-M10	Tubing, FEP, 1/32" x 0.15 mm ID, purple solid, 10 m/pkg

Aurora Borealis Control B.V.

Since 1998, a bunch of experience

P.O. Box 2, NL-7760 AA, Schoonebeek, The Netherlands

info@aurora-borealis.nl

Tel.: +31 524 532 460

Fax. : +31 524 532 471



Part Number

Description

Part Number	Description
JR-T-6606C-M25	Tubing, FEP, 1/32" x 0.15 mm ID, purple solid, 25 m/pkg
JR-T-6606C-M3	Tubing, FEP, 1/32" x 0.15 mm ID, purple solid, 3 m/pkg
JR-T-6606-M1	Tubing, FEP, 1/32" x 0.15 mm ID, natural, 1 m/pkg
JR-T-6606-M10	Tubing, FEP, 1/32" x 0.15 mm ID, natural, 10 m/pkg
JR-T-6606-M3	Tubing, FEP, 1/32" x 0.15 mm ID, natural, 3 m/pkg
JR-T-6607C-M10	Tubing, FEP, 1/32" x 0.18 mm ID, yellow solid, 10 m/pkg
JR-T-6607C-M25	Tubing, FEP, 1/32" x 0.18 mm ID, yellow solid, 25 m/pkg
JR-T-6607C-M3	Tubing, FEP, 1/32" x 0.18 mm ID, yellow solid, 3 m/pkg
JR-T-6607-M1	Tubing, FEP, 1/32" x 0.18 mm ID, natural, 1 m/pkg
JR-T-6607-M10	Tubing, FEP, 1/32" x 0.18 mm ID, natural, 10 m/pkg
JR-T-6607-M3	Tubing, FEP, 1/32" x 0.18 mm ID, natural, 3 m/pkg
JR-T-6610C-M10	Tubing, FEP, 1/32" x 0.25 mm ID, blue solid, 10 m/pkg
JR-T-6610C-M25	Tubing, FEP, 1/32" x 0.25 mm ID, blue solid, 25 m/pkg
JR-T-6610C-M3	Tubing, FEP, 1/32" x 0.25 mm ID, blue solid, 3 m/pkg
JR-T-6610-M1	Tubing, FEP, 1/32" x 0.25 mm ID, natural, 1 m/pkg
JR-T-6610-M10	Tubing, FEP, 1/32" x 0.25 mm ID, natural, 10 m/pkg
JR-T-6610-M3	Tubing, FEP, 1/32" x 0.25 mm ID, natural, 3 m/pkg
JR-T-6615-M1	Tubing, FEP, 1/32" x 0.38 mm ID, natural, 1 m/pkg
JR-T-6615-M10	Tubing, FEP, 1/32" x 0.38 mm ID, natural, 10 m/pkg
JR-T-6615-M3	Tubing, FEP, 1/32" x 0.38 mm ID, natural, 3 m/pkg
JR-T-6620C-M10	Tubing, FEP, 1/32" x 0.50 mm ID, orange solid, 10 m/pkg
JR-T-6620C-M25	Tubing, FEP, 1/32" x 0.50 mm ID, orange solid, 25 m/pkg
JR-T-6620C-M3	Tubing, FEP, 1/32" x 0.50 mm ID, orange solid, 3 m/pkg
JR-T-6620-M1	Tubing, FEP, 1/32" x 0.50 mm ID, natural, 1 m/pkg

Aurora Borealis Control B.V.

Since 1998, a bunch of experience

P.O. Box 2, NL-7760 AA, Schoonebeek, The Netherlands

info@aurora-borealis.nl

Tel.: +31 524 532 460

Fax. : +31 524 532 471



Part Number

Description

JR-T-6620-M10	Tubing, FEP, 1/32" x 0.50 mm ID, natural, 10 m/pkg
JR-T-6620-M3	Tubing, FEP, 1/32" x 0.50 mm ID, natural, 3 m/pkg
JR-T-6704C-M10	Tubing, FEP, 1/16" x 0.10 mm ID, black, solid, 10 m/pkg
JR-T-6704C-M25	Tubing, FEP, 1/16" x 0.10 mm ID, black, solid, 25 m/pkg
JR-T-6704C-M3	Tubing, FEP, 1/16" x 0.10 mm ID, black, solid, 3 m/pkg
JR-T-6704-M10	Tubing, FEP, 1/16" x 0.10 mm ID, natural, 10 m/pkg
JR-T-6704-M25	Tubing, FEP, 1/16" x 0.10 mm ID, natural, 25 m/pkg
JR-T-6704-M3	Tubing, FEP, 1/16" x 0.10 mm ID, natural, 3 m/pkg
JR-T-6705C-M10	Tubing, FEP, 1/16" x 0.13 mm ID, red solid, 10 m/pkg
JR-T-6705C-M25	Tubing, FEP, 1/16" x 0.13 mm ID, red solid, 25 m/pkg
JR-T-6705C-M3	Tubing, FEP, 1/16" x 0.13 mm ID, red solid, 3 m/pkg
JR-T-6705-M10	Tubing, FEP, 1/16" x 0.13 mm ID, natural, 10 m/pkg
JR-T-6705-M25	Tubing, FEP, 1/16" x 0.13 mm ID, natural, 25 m/pkg
JR-T-6705-M3	Tubing, FEP, 1/16" x 0.13 mm ID, natural, 3 m/pkg
JR-T-6706C-M10	Tubing, FEP, 1/16" x 0.15 mm ID, purple solid, 10 m/pkg
JR-T-6706C-M25	Tubing, FEP, 1/16" x 0.15 mm ID, purple solid, 25 m/pkg
JR-T-6706C-M3	Tubing, FEP, 1/16" x 0.15 mm ID, purple solid, 3 m/pkg
JR-T-6706-M10	Tubing, FEP, 1/16" x 0.15 mm ID, natural, 10 m/pkg
JR-T-6706-M25	Tubing, FEP, 1/16" x 0.15 mm ID, natural, 25 m/pkg
JR-T-6706-M3	Tubing, FEP, 1/16" x 0.15 mm ID, natural, 3 m/pkg
JR-T-6707C-M10	Tubing, FEP, 1/16" x 0.18 mm ID, yellow solid, 10 m/pkg
JR-T-6707C-M25	Tubing, FEP, 1/16" x 0.18 mm ID, yellow solid, 25 m/pkg
JR-T-6707C-M3	Tubing, FEP, 1/16" x 0.18 mm ID, yellow solid, 3 m/pkg
JR-T-6707-M10	Tubing, FEP, 1/16" x 0.18 mm ID, natural, 10 m/pkg

Aurora Borealis Control B.V.

Since 1998, a bunch of experience
P.O. Box 2, NL-7760 AA, Schoonebeek, The Netherlands
info@aurora-borealis.nl

Tel.: +31 524 532 460

Fax. : +31 524 532 471



Part Number

Description

Part Number	Description
JR-T-6707-M25	Tubing, FEP, 1/16" x 0.18 mm ID, natural, 25 m/pkg
JR-T-6707-M3	Tubing, FEP, 1/16" x 0.18 mm ID, natural, 3 m/pkg
JR-T-6708-M10	Tubing, FEP, 1/16" x 0.20 mm ID, natural, 10 m/pkg
JR-T-6708-M25	Tubing, FEP, 1/16" x 0.20 mm ID, natural, 25 m/pkg
JR-T-6708-M3	Tubing, FEP, 1/16" x 0.20 mm ID, natural, 3 m/pkg
JR-T-6794-M1	Tubing, FEP, 1/32" x 0.10 mm ID, 1 m/pkg
JR-T-6794-M10	Tubing, FEP, 1/32" x 0.10 mm ID, 10 m/pkg
JR-T-6794-M3	Tubing, FEP, 1/32" x 0.10 mm ID, 3 m/pkg
JR-T-6800-M10	Tubing, PTFE, 1/8" x 1.59 mm ID, 10 m/pkg
JR-T-6800-M25	Tubing, PTFE, 1/8" x 1.59 mm ID, 25 m/pkg
JR-T-6800-M3	Tubing, PTFE, 1/8" x 1.59 mm ID, 3 m/pkg
JR-T-6800-M5	Tubing, PTFE, 1/8" x 1.59 mm ID, 5 m/pkg
JR-T-6801-M10	Tubing, PTFE, 2.0 x 1.70 mm ID, 10 m/pkg
JR-T-6801-M25	Tubing, PTFE, 2.0 x 1.70 mm ID, 25 m/pkg
JR-T-6801-M3	Tubing, PTFE, 2.0 x 1.70 mm ID, 3 m/pkg
JR-T-6802C-M10	Tubing, FEP, 1/16" x 0.50 mm ID, orange solid, 10 m/pkg
JR-T-6802C-M25	Tubing, FEP, 1/16" x 0.50 mm ID, orange solid, 25 m/pkg
JR-T-6802C-M3	Tubing, FEP, 1/16" x 0.50 mm ID, orange solid, 3 m/pkg
JR-T-6802-M10	Tubing, FEP, 1/16" x 0.50 mm ID, 10 m/pkg
JR-T-6802-M25	Tubing, FEP, 1/16" x 0.50 mm ID, 25 m/pkg
JR-T-6802-M3	Tubing, FEP, 1/16" x 0.50 mm ID, 3 m/pkg
JR-T-6803C-M10	Tubing, FEP, 1/16" x 0.75 mm ID, green solid, 10 m/pkg
JR-T-6803C-M25	Tubing, FEP, 1/16" x 0.75 mm ID, green solid, 25 m/pkg
JR-T-6803C-M3	Tubing, FEP, 1/16" x 0.75 mm ID, green solid, 3 m/pkg

Aurora Borealis Control B.V.

Since 1998, a bunch of experience
P.O. Box 2, NL-7760 AA, Schoonebeek, The Netherlands
info@aurora-borealis.nl

Tel.: +31 524 532 460

Fax. : +31 524 532 471



Part Number

Description

Part Number	Description
JR-T-6803-M10	Tubing, FEP, 1/16" x 0.75 mm ID, 10 m/pkg
JR-T-6803-M25	Tubing, FEP, 1/16" x 0.75 mm ID, 25 m/pkg
JR-T-6803-M3	Tubing, FEP, 1/16" x 0.75 mm ID, 3 m/pkg
JR-T-6804-M10	Tubing, FEP, 1/8" x 1.59 mm ID, 10 m/pkg
JR-T-6804-M25	Tubing, FEP, 1/8" x 1.59 mm ID, 25 m/pkg
JR-T-6804-M3	Tubing, FEP, 1/8" x 1.59 mm ID, 3 m/pkg
JR-T-6805-M10	Tubing, PTFE, 1/16" x 0.18 mm ID, 10 m/pkg
JR-T-6805-M25	Tubing, PTFE, 1/16" x 0.18 mm ID, 25 m/pkg
JR-T-6805-M3	Tubing, PTFE, 1/16" x 0.18 mm ID, 3 m/pkg
JR-T-6805-M5	Tubing, PTFE, 1/16" x 0.17 mm ID, 5 m/pkg,
JR-T-6806C-M10	Tubing, FEP, 1/16" x 1.0 mm ID, black solid, 10 m/pkg
JR-T-6806C-M25	Tubing, FEP, 1/16" x 1.0 mm ID, black solid, 25 m/pkg
JR-T-6806C-M3	Tubing, FEP, 1/16" x 1.0 mm ID, black solid, 3 m/pkg
JR-T-6806-M10	Tubing, FEP, 1/16" x 1.0 mm ID, 10 m/pkg
JR-T-6806-M25	Tubing, FEP, 1/16" x 1.0 mm ID, 25 m/pkg
JR-T-6806-M3	Tubing, FEP, 1/16" x 1.0 mm ID, 3 m/pkg
JR-T-6807-M10	Tubing, PTFE, 1/16" x 1.0 mm ID, 10 m/pkg
JR-T-6807-M25	Tubing, PTFE, 1/16" x 1.0 mm ID, 25 m/pkg
JR-T-6807-M3	Tubing, PTFE, 1/16" x 1.0 mm ID, 3 m/pkg
JR-T-6807-M5	Tubing, PTFE, 1/16" x 1.0 mm ID, 5 m/pkg
JR-T-6808-M10	Tubing, PTFE, 1/16" x 0.25 mm ID, black, 10 m/pkg
JR-T-6808-M25	Tubing, PTFE, 1/16" x 0.25 mm ID, black, 25 m/pkg
JR-T-6808-M3	Tubing, PTFE, 1/16" x 0.25 mm ID, black, 3 m/pkg
JR-T-6809	Tubing, FEP, 1/4" x 4.35 mm ID

Aurora Borealis Control B.V.

Since 1998, a bunch of experience
 P.O. Box 2, NL-7760 AA, Schoonebeek, The Netherlands
 info@aurora-borealis.nl

Tel.: +31 524 532 460
 Fax. : +31 524 532 471



Part Number	Description
-------------	-------------

JR-T-6810	Tubing, PTFE, 1/4" x 4.75 mm ID
JR-T-6811-M10	Tubing, PTFE, 1/16" x 0.50 mm ID, black, 10 m/pkg
JR-T-6811-M25	Tubing, PTFE, 1/16" x 0.50 mm ID, black, 25 m/pkg
JR-T-6811-M3	Tubing, PTFE, 1/16" x 0.50 mm ID, black, 3 m/pkg
JR-T-6812C-M10	Tubing, FEP, 1/16" x 0.25 mm ID, blue solid, 10 m/pkg
JR-T-6812C-M25	Tubing, FEP, 1/16" x 0.25 mm ID, blue solid, 25 m/pkg
JR-T-6812C-M3	Tubing, FEP, 1/16" x 0.25 mm ID, blue solid, 3 m/pkg
JR-T-6812-M10	Tubing, FEP, 1/16" x 0.25 mm ID, 10 m/pkg
JR-T-6812-M25	Tubing, FEP, 1/16" x 0.25 mm ID, 25 m/pkg
JR-T-6812-M3	Tubing, FEP, 1/16" x 0.25 mm ID, 3 m/pkg
JR-T-6813-M10	Tubing, FEP, 1/8" x 2.1 mm ID, 10 m/pkg
JR-T-6813-M25	Tubing, FEP, 1/8" x 2.1 mm ID, 25 m/pkg
JR-T-6813-M3	Tubing, FEP, 1/8" x 2.1 mm ID, 3 m/pkg
JR-T-6835-M10	Tubing, FEP, 3/16" x 3.18 mm ID, 10 m/pkg
JR-T-6835-M25	Tubing, FEP, 3/16" x 3.18 mm ID, 25 m/pkg
JR-T-6835-M3	Tubing, FEP, 3/16" x 3.18 mm ID, 3 m/pkg
JR-T-96005	Tubing, SS, flexible, 1/32" x 0.13 mm ID,length 105 mm, with 1/16" ends
JR-T-96010	Tubing, SS, flexible, 1/32" x 0.13 mm ID,length 150 mm, with 1/16" ends
JR-T-96015	Tubing, SS, flexible, 1/32" x 0.13 mm ID,length 200 mm, with 1/16" ends
JR-T-96020	Tubing, SS, flexible, 1/32" x 0.13 mm ID,length 280 mm, with 1/16" ends
JR-T-96025	Tubing, SS, flexible, 1/32" x 0.13 mm ID,length 400 mm, with 1/16" ends
JR-T-96030	Tubing, SS, flexible, 1/32" x 0.13 mm ID,length 600 mm, with 1/16" ends
JR-T-96035	Tubing, SS, flexible, 1/32" x 0.13 mm ID,length 700 mm, with 1/16" ends
JR-T-96040	Tubing, SS, flexible, 1/32" x 0.13 mm ID,length 800 mm, with 1/16" ends

Aurora Borealis Control B.V.

Since 1998, a bunch of experience
P.O. Box 2, NL-7760 AA, Schoonebeek, The Netherlands
info@aurora-borealis.nl

Tel.: +31 524 532 460

Fax. : +31 524 532 471



Part Number

Description

Part Number	Description
JR-T-96105	Tubing, SS, flexible, 1/32" x 0.18 mm ID,length 105 mm, with 1/16" ends
JR-T-96110	Tubing, SS, flexible, 1/32" x 0.18 mm ID,length 150 mm, with 1/16" ends
JR-T-96115	Tubing, SS, flexible, 1/32" x 0.18 mm ID,length 200 mm, with 1/16" ends
JR-T-96120	Tubing, SS, flexible, 1/32" x 0.18 mm ID,length 280 mm, with 1/16" ends
JR-T-96125	Tubing, SS, flexible, 1/32" x 0.18 mm ID,length 400 mm, with 1/16" ends
JR-T-96130	Tubing, SS, flexible, 1/32" x 0.18 mm ID,length 600 mm, with 1/16" ends
JR-T-96135	Tubing, SS, flexible, 1/32" x 0.18 mm ID,length 700 mm, with 1/16" ends
JR-T-96140	Tubing, SS, flexible, 1/32" x 0.18 mm ID,length 800 mm, with 1/16" ends
JR-T-96205	Tubing, SS, flexible, 1/32" x 0.25 mm ID,length 105 mm, with 1/16" ends
JR-T-96210	Tubing, SS, flexible, 1/32" x 0.25 mm ID,length 150 mm, with 1/16" ends
JR-T-96215	Tubing, SS, flexible, 1/32" x 0.25 mm ID,length 200 mm, with 1/16" ends
JR-T-96220	Tubing, SS, flexible, 1/32" x 0.25 mm ID,length 280 mm, with 1/16" ends
JR-T-96225	Tubing, SS, flexible, 1/32" x 0.25 mm ID,length 400 mm, with 1/16" ends
JR-T-96230	Tubing, SS, flexible, 1/32" x 0.25 mm ID,length 600 mm, with 1/16" ends
JR-T-96235	Tubing, SS, flexible, 1/32" x 0.25 mm ID,length 700 mm, with 1/16" ends
JR-T-96240	Tubing, SS, flexible, 1/32" x 0.25 mm ID,length 800 mm, with 1/16" ends
JR-T-96305	Tubing, SS, flexible, 1/32" x 0.50 mm ID,length 105 mm, with 1/16" ends
JR-T-96310	Tubing, SS, flexible, 1/32" x 0.50 mm ID,length 150 mm, with 1/16" ends
JR-T-96315	Tubing, SS, flexible, 1/32" x 0.50 mm ID,length 200 mm, with 1/16" ends
JR-T-96320	Tubing, SS, flexible, 1/32" x 0.50 mm ID,length 280 mm, with 1/16" ends
JR-T-96325	Tubing, SS, flexible, 1/32" x 0.50 mm ID,length 400 mm, with 1/16" ends
JR-T-96330	Tubing, SS, flexible, 1/32" x 0.50 mm ID,length 600 mm, with 1/16" ends
JR-T-96335	Tubing, SS, flexible, 1/32" x 0.50 mm ID,length 700 mm, with 1/16" ends
JR-T-96340	Tubing, SS, flexible, 1/32" x 0.50 mm ID,length 800 mm, with 1/16" ends

Aurora Borealis Control B.V.

Since 1998, a bunch of experience
 P.O. Box 2, NL-7760 AA, Schoonebeek, The Netherlands
 info@aurora-borealis.nl

Tel.: +31 524 532 460
 Fax. : +31 524 532 471



Part Number	Description
JR-T-97005	Tubing, SS, precut 1/16" OD x 0.13 mm ID,length 50 mm
JR-T-97010	Tubing, SS, precut 1/16" OD x 0.13 mm ID,length 100 mm
JR-T-97015	Tubing, SS, precut 1/16" OD x 0.13 mm ID,length 200 mm
JR-T-97020	Tubing, SS, precut 1/16" OD x 0.13 mm ID,length 300 mm
JR-T-97025	Tubing, SS, precut 1/16" OD x 0.18 mm ID,length 50 mm
JR-T-97030	Tubing, SS, precut 1/16" OD x 0.18 mm ID,length 100 mm
JR-T-97035	Tubing, SS, precut 1/16" OD x 0.18 mm ID,length 200 mm
JR-T-97040	Tubing, SS, precut 1/16" OD x 0.18 mm ID,length 300 mm
JR-T-97045	Tubing, SS, precut 1/16" OD x 0.25 mm ID,length 50 mm
JR-T-97055	Tubing, SS, precut 1/16" OD x 0.25 mm ID,length 100 mm
JR-T-97060	Tubing, SS, precut 1/16" OD x 0.25 mm ID,length 200 mm
JR-T-97065	Tubing, SS, precut 1/16" OD x 0.25 mm ID,length 300 mm
JR-T-97075	Tubing, SS, precut 1/16" OD x 0.50 mm ID,length 50 mm
JR-T-97080	Tubing, SS, precut 1/16" OD x 0.50 mm ID,length 100 mm
JR-T-97085	Tubing, SS, precut 1/16" OD x 0.50 mm ID,length 200 mm
JR-T-97090	Tubing, SS, precut 1/16" OD x 0.50 mm ID,length 300 mm
JR-T-97095	Tubing, SS, precut 1/16" OD x 0.75 mm ID,length 50 mm
JR-T-97100	Tubing, SS, precut 1/16" OD x 0.75 mm ID,length 100 mm
JR-T-97105	Tubing, SS, precut 1/16" OD x 0.75 mm ID,length 200 mm
JR-T-97110	Tubing, SS, precut 1/16" OD x 0.75 mm ID,length 300 mm
JR-TD-6007-M10	Tubing, Dual Layer PEEK, 1/16" x 0.13 mm ID, solid red outside, natural inside, 10 m/pkg
JR-TD-6007-M3	Tubing, Dual Layer PEEK, 1/16" x 0.13 mm ID, solid red outside, natural inside, 3 m/pkg
JR-TD-6008-M10	Tubing, Dual Layer PEEK, 1/16" x 0.18 mm ID, solid yellow outside, natural inside, 10 m/pkg
JR-TD-6008-M3	Tubing, Dual Layer PEEK, 1/16" x 0.18 mm ID, solid yellow outside, natural inside, 3 m/pkg

Aurora Borealis Control B.V.

Since 1998, a bunch of experience
 P.O. Box 2, NL-7760 AA, Schoonebeek, The Netherlands
 info@aurora-borealis.nl

Tel.: +31 524 532 460
 Fax. : +31 524 532 471



Part Number	Description
JR-TD-6009-M10	Tubing, Dual Layer PEEK, 1/16" x 0.25 mm ID, solid blue outside, natural inside, 10 m/pkg
JR-TD-6009-M3	Tubing, Dual Layer PEEK, 1/16" x 0.25 mm ID, solid blue outside, natural inside, 3 m/pkg
JR-TD-6010-M10	Tubing, Dual Layer PEEK, 1/16" x 0.50 mm ID, solid orange outside, natural inside, 10 m/pkg
JR-TD-6010-M3	Tubing, Dual Layer PEEK, 1/16" x 0.50 mm ID, solid orange outside, natural inside, 3 m/pkg
JR-TD-6011-M10	Tubing, Dual Layer PEEK, 1/16" x 0.75 mm ID, solid green outside, natural inside, 10 m/pkg
JR-TD-6011-M3	Tubing, Dual Layer PEEK, 1/16" x 0.75 mm ID, solid green outside, natural inside, 3 m/pkg
JR-TSS.505-M10	Tubing, Premium, SS, 1/32" OD x 0.13 mm ID, 10 m/pkg
JR-TSS.505-M3	Tubing, Premium, SS, 1/32" OD x 0.13 mm ID, 3 m/pkg
JR-TSS.507-M10	Tubing, Premium, SS, 1/32" OD x 0.18 mm ID, 10 m/pkg
JR-TSS.507-M3	Tubing, Premium, SS, 1/32" OD x 0.18 mm ID, 3 m/pkg
JR-TSS.510-M10	Tubing, Premium, SS, 1/32" OD x 0.25 mm ID, 10 m/pkg
JR-TSS.510-M3	Tubing, Premium, SS, 1/32" OD x 0.25 mm ID, 3 m/pkg
JR-TSS.520-M10	Tubing, Premium, SS, 1/32" OD x 0.50 mm ID, 10 m/pkg
JR-TSS.520-M3	Tubing, Premium, SS, 1/32" OD x 0.50 mm ID, 3 m/pkg
JR-TSS105-M10	Tubing, Premium, SS, 1/16" OD x 0.13 mm ID, 10 m/pkg
JR-TSS105-M3	Tubing, Premium, SS, 1/16" OD x 0.13 mm ID, 3 m/pkg
JR-TSS110-M10	Tubing, Premium, SS, 1/16" OD x 0.25 mm ID, 10 m/pkg
JR-TSS110-M3	Tubing, Premium, SS, 1/16" OD x 0.25 mm ID, 3 m/pkg
JR-TSS115-M10	Tubing, Premium, SS, 1/16" OD x 0.38 mm ID, 10 m/pkg
JR-TSS115-M3	Tubing, Premium, SS, 1/16" OD x 0.38 mm ID, 3 m/pkg
JR-TSS120-M10	Tubing, Premium, SS, 1/16" OD x 0.50 mm ID, 10 m/pkg
JR-TSS120-M3	Tubing, Premium, SS, 1/16" OD x 0.50 mm ID, 3 m/pkg
JR-TSS130-M10	Tubing, Premium, SS, 1/16" OD x 0.75 mm ID, 10 m/pkg
JR-TSS130-M3	Tubing, Premium, SS, 1/16" OD x 0.75 mm ID, 3 m/pkg

Aurora Borealis Control B.V.

Since 1998, a bunch of experience
 P.O. Box 2, NL-7760 AA, Schoonebeek, The Netherlands
 info@aurora-borealis.nl

Tel.: +31 524 532 460
 Fax. : +31 524 532 471



Part Number	Description
-------------	-------------

JR-TSS140-M10	Tubing, Premium, SS, 1/16" OD x 1.00 mm ID, 10 m/pkg
JR-TSS140-M3	Tubing, Premium, SS, 1/16" OD x 1.00 mm ID, 3 m/pkg
JR-TSS230-M10	Tubing, Premium, SS, 1/8" OD x 0.75 mm ID, 10 m/pkg
JR-TSS230-M3	Tubing, Premium, SS, 1/8" OD x 0.75 mm ID, 3 m/pkg
JR-TSS240-M10	Tubing, Premium, SS, 1/8" OD x 1.00 mm ID, 10 m/pkg
JR-TSS240-M3	Tubing, Premium, SS, 1/8" OD x 1.00 mm ID, 3 m/pkg
JR-TSS260-M10	Tubing, Premium, SS, 1/8" OD x 1.52 mm ID, 10 m/pkg
JR-TSS260-M3	Tubing, Premium, SS, 1/8" OD x 1.52 mm ID, 3 m/pkg
JR-TSS267-M10	Tubing, Premium, SS, 1/8" OD x 1.70 mm ID, 10 m/pkg
JR-TSS267-M3	Tubing, Premium, SS, 1/8" OD x 1.70 mm ID, 3 m/pkg
JR-TSS285-M10	Tubing, Premium, SS, 1/8" OD x 2.16 mm ID, 10 m/pkg
JR-TSS285-M3	Tubing, Premium, SS, 1/8" OD x 2.16 mm ID, 3 m/pkg
JR-ZBU1CFPK	Bulkhead union PEEK, 0.25 mm bore, complete
JR-ZBU1FPK	Bulkhead union PEEK, 0.75 mm bore, complete
JR-ZBU1MFPK	Bulkhead union PEEK, 0.50 mm bore, complete
JR-ZC.5FPK	Cap 1/32", fingertight, PEEK
JR-ZC1	Cap, SS, female 1/16"
JR-ZC1PK	Cap, PEEK, female 10-32
JR-ZC2	Cap, SS, female 1/8"
JR-ZF.5PK	Ferrule, PEEK, 1/32"
JR-ZF.5PK-5	Ferrule, PEEK, 1/32", 5 /pkg
JR-ZF.5S6-5	Ferrule, SS, 1/32", Valco type, 5/pkg
JR-ZF1S6-5	Ferrule, SS, 1/16", Valco type, 5/pkg
JR-ZF2PK-5	Ferrule, PEEK, 1/8", 5/pkg

Aurora Borealis Control B.V.

Since 1998, a bunch of experience
 P.O. Box 2, NL-7760 AA, Schoonebeek, The Netherlands
 info@aurora-borealis.nl

Tel.: +31 524 532 460
 Fax. : +31 524 532 471



Part Number	Description
JR-ZF2S6-5	Ferrule, SS, 1/8", Valco type, 5/pkg
JR-ZGF.5PK	Ferrule, PEEK, grooved, 1/32"
JR-ZGF1PK	Ferrule, PEEK, grooved, 1/16"
JR-ZN.5-5	Nut, SS, 1/32", Valco type, 6-40, 5/pkg
JR-ZN.5FPK	Nut, PEEK, fingertight, 1/32"
JR-ZN.5FPK-5	Nut, PEEK, fingertight, 1/32", 5 /pkg
JR-ZN1-5	Nut, SS, 1/16", Valco type, 10-32, 5/pkg
JR-ZN2-5	Nut, SS, 1/8", Valco type, 5/16"-24, 5/pkg
JR-ZN2PK-5	Nut, PEEK, Hex-Head 1/8", 5/16"-24, 5/pkg
JR-ZNF1FKF-5	Fitting, PEEK, No Twist, 10-32, 1/16", fingertight, with CTFE Ferrule, 5/pkg
JR-ZNF1FPK-5	Fitting, PEEK, No Twist, 10-32, 1/16", fingertight, with PEEK Ferrule, 5/pkg
JR-ZNF1FPKG-5	Fitting, PEEK, No Twist, 10-32, 1/16", fingertight, with glass filled PEEK Ferrule, 5/pkg
JR-ZNF1KF-5	Fitting, PEEK, No Twist, 10-32, 1/16", short,hex-head with CTFE Ferrule, 5/pkg
JR-ZNF1KF-F-5	Ferrule 1/16", cTFE, for No Twist fittings, 5/pkg
JR-ZNF1PK-5	Fitting, PEEK, No Twist, 10-32, 1/16", short,hex-head with PEEK Ferrule, 5/pkg
JR-ZNF1PK-F-5	Ferrule 1/16", natural PEEK for No Twist fittings, 5 /pkg
JR-ZNF1PKG-5	Fitting, PEEK, No Twist, 10-32, 1/16", short,hex-head with glass filled PEEK Ferrule, 5/pkg
JR-ZNF1PKG-F-5	Ferrule 1/16", glass-filled PEEK, for No Twist fittings, 5 /pkg
JR-ZP.5FPK	Plug 1/32", fingertight, PEEK
JR-ZP1	Plug, SS, for 1/16" connections, 11963
JR-ZP2	Plug, SS, for 1/8" connections, 5/16"-24
JR-ZRU1.5FPK	Union, PEEK, reducing 1/16" - 1/32", 10-32
JR-ZRU21	Union, SS, reducing 1/8" to 1/16", bore 0.75 mm, complete
JR-ZRU21FPK	Union, PEEK, HP reducing complete, 1/8" to 1/16", thru-hole 0.75 mm

Aurora Borealis Control B.V.

Since 1998, a bunch of experience
P.O. Box 2, NL-7760 AA, Schoonebeek, The Netherlands
info@aurora-borealis.nl

Tel.: +31 524 532 460
Fax. : +31 524 532 471



Part Number

Description

JR-ZT1	Tee, SS, 0.75 mm bore, 1/16", 10-32, complete,
JR-ZT1C	Tee, SS, 0.25 mm bore, 1/16", 10-32, complete,
JR-ZT1M	Tee, SS, 0.5 mm bore, 1/16", 10-32, complete,
JR-ZU1CS6	Union, SS, bore 0.25 mm, 1/16", 10-32, complete
JR-ZU1MS6	Union, SS, bore 0.50 mm, 1/16", 10-32, complete
JR-ZU1S6	Union, SS, bore 0.75 mm, 1/16", 10-32, complete
JR-ZU1XCS6	Union, SS, bore 0.15 mm, 1/16", 10-32, complete
JR-ZX1	Cross, SS, 0.75 mm bore, 1/16", 10-32, complete
JR-ZX1C	Cross, SS, 0.25 mm bore, 1/16", 10-32, complete
JR-ZX1M	Cross, SS, 0.50 mm bore, 1/16", 10-32, complete